


Tiling SWISSIMAGE 2010 ArcSDE 201203

Shapefile



Tags

tiling vector dataset tiles swissimage arcsde parks 201203 flight years 2006 2007 2008 2009 2010 swiss parks network

Summary

Tiling (vector dataset) with the tile division of the swissimage mosaic published on ArcSDE parcs in march 2012 (LV95).

Description

Tiling (vector dataset) with the tile division of the swissimage mosaic published on ArcSDE parcs in march 2012(LV95). Generated by the Swiss Parks Network from tilings (vector datasets) provided by swisstopo.

The tiling vector dataset is a composition of different tilings delivered each by swisstopo together with the delivery of the swissimage raster tiles. Basis of the tiling swissimage 2010 are tiling deliveries from swisstopo: swssimage_statusgrid_201112_lv95_inkl_fehlerhafter_tranche6, L2_Update_import_sde (Nachlieferung Tranche 6 - february 2012). The tiles of the swissimage published in march 2012 have the following flight years: 2006 2007 2008 2009 2010

The single features show the boundaries of the swissimage tiles. In the table can be found information about the swissimage tiles, whereupon the flight years of the swissimage tiles is the most important information.

Credits

swisstopo

Use limitations

There are no access and use limitations for this item.

Extent

West 5.895849 **East** 10.567511
North 47.815947 **South** 45.778302

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE [imageryBaseMapsEarthCover](#)

[Hide Topics and Keywords ▲](#)

Citation ►

TITLE [Tiling SWISSIMAGE 2010 ArcSDE 201203](#)

PRESENTATION FORMATS [* digital map](#)

[Hide Citation ▲](#)

Citation Contacts ►

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Center of Competence Geoinformation of the Swiss Parks - gis@paerke.ch
 ORGANIZATION'S NAME Swiss Parks Network
 CONTACT'S ROLE originator

[Hide Citation Contacts ▲](#)

Resource Details ►

DATASET LANGUAGES English (SWITZERLAND)
 DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.2.2.3574

CREDITS

swisstopo

ARCGIS ITEM PROPERTIES

* NAME statusgrid_swissimage_2010_arcsde_201203
 * SIZE 0.445
 * LOCATION file://\192.168.100.110
 \parcsimages\SWISSIMAGE\201203_swissimage_auf_arcsde\statusgrid_swissimage_2010_arcsde_201203.shp
 * ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT
 GEOGRAPHIC DESCRIPTION
 GEOGRAPHIC IDENTIFIER
 VALUE switzerland

DESCRIPTION CONTAINS THE RESOURCE Yes

EXTENT

GEOGRAPHIC EXTENT
 BOUNDING RECTANGLE
 EXTENT TYPE Extent used for searching
 * WEST LONGITUDE 5.895849
 * EAST LONGITUDE 10.567511
 * NORTH LATITUDE 47.815947
 * SOUTH LATITUDE 45.778302
 * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 2484375.000000
 * EAST LONGITUDE 2834375.000000
 * SOUTH LATITUDE 1074000.000000
 * NORTH LATITUDE 1296000.000000
 * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE Projected
 * GEOGRAPHIC COORDINATE REFERENCE GCS_CH1903+
 * PROJECTION CH1903+_LV95
 * COORDINATE REFERENCE DETAILS
 PROJECTED COORDINATE SYSTEM
 WELL-KNOWN IDENTIFIER 2056
 X ORIGIN -27386400
 Y ORIGIN -32067900
 XY SCALE 140996569.55187955
 Z ORIGIN -100000
 Z SCALE 10000
 M ORIGIN -100000
 M SCALE 10000

XY TOLERANCE 0.001
 Z TOLERANCE 0.001
 M TOLERANCE 0.001
 HIGH PRECISION true
 LATEST WELL-KNOWN IDENTIFIER 2056
 WELL-KNOWN TEXT PROJCS["CH1903+_LV95",GEOGCS["GCS_CH1903+",DATUM["D_CH1903+",SPHEROID
 ["Bessel_1841",6377397.155,299.1528128]],PRIMEM["Greenwich",0.0],UNIT
 ["Degree",0.0174532925199433]],PROJECTION["Hotine_Oblique_Mercator_Azimuth_Center"],PARAMETER
 ["False_Easting",2600000.0],PARAMETER["False_Northing",1200000.0],PARAMETER
 ["Scale_Factor",1.0],PARAMETER["Azimuth",90.0],PARAMETER
 ["Longitude_Of_Center",7.439583333333333],PARAMETER
 ["Latitude_Of_Center",46.95240555555556],UNIT["Meter",1.0],AUTHORITY["EPSG",2056]]

REFERENCE SYSTEM IDENTIFIER

* VALUE 2056
 * CODESPACE EPSG
 * VERSION 8.2.6

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME statusgrid_swissimage_2010_arcsde_201203
 * OBJECT TYPE composite
 * OBJECT COUNT 3432

[Hide Vector ▲](#)

ARCgis FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME statusgrid_swissimage_2010_arcsde_201203
 * FEATURE TYPE Simple
 * GEOMETRY TYPE Polygon
 * HAS TOPOLOGY FALSE
 * FEATURE COUNT 3432
 * SPATIAL INDEX TRUE
 * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME
 DATE 2013-10-17 17:30:22
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 POOLGUID 0 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2013-10-17 17:30:34
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 FLIGHTYEAR 0 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2013-10-17 17:30:49
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 RELEASE 000 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:31:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 RELEASE 9999 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:31:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 FLIGHTYEAR 9999 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:31:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 POOLGUID 9999 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:31:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 MAX_SEQUEN 9999 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:31:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 RESOLUTION 9999 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:31:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 RESOLUTI_1 9999 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:31:48

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 RECORDINGD 9999 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:32:37

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 SOURCEREFE 9999 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-10-17 17:32:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 TERRAINMOD 9999 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-10-17 17:32:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 TERRAINM_1 9999 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-10-17 17:33:05
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 PROVIDER_C 9999 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-10-17 17:33:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 PROVIDER_C 1 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-10-17 17:33:26
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 PROCESSING 9999 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-10-17 17:33:42
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 PROCESSI_1 xxxx VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-10-17 17:34:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 IMPDATE xxxx VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-10-17 17:34:35
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 ANZ_IMG 9999 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-10-17 17:34:42
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management

Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 SEQUENCES 9999 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:58:58

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 RELEASE 0 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:59:05

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 MAX_SEQUEN 0 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:59:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 RECORDINGD 0 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:59:37

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 SOURCEREFE 0 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:59:46

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 TERRAINMOD 0 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 17:59:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 PROCESSING 0 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 18:00:09

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 PROCESSI_1 0 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 18:00:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 IMPDATE 0 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-17 18:00:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField swissimage_statusgrids_aus_SI_Mai2013_1 ANZ_IMG 0 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTION FORMAT

* NAME Shapefile

TRANSFER OPTIONS

* TRANSFER SIZE 0.445

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT [statusgrid_swissimage_2010_arcsde_201203 ►](#)

* TYPE Feature Class

* ROW COUNT 3432

FIELD FID ►

* ALIAS FID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field FID ▲](#)

FIELD Shape ►

* ALIAS Shape

* DATA TYPE Geometry

* WIDTH 0

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Feature geometry.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Coordinates defining the features.

[Hide Field Shape ▲](#)

FIELD OBJECTID_1 ►

* ALIAS OBJECTID_1

* DATA TYPE Integer

* WIDTH 9

* PRECISION 9

* SCALE 0

[Hide Field OBJECTID_1 ▲](#)

FIELD OBJECTID ►

* ALIAS OBJECTID
* DATA TYPE Double
* WIDTH 19
* PRECISION 0
* SCALE 0

[Hide Field OBJECTID ▲](#)

FIELD TILEKEY ►

* ALIAS TILEKEY
* DATA TYPE String
* WIDTH 254
* PRECISION 0
* SCALE 0

[Hide Field TILEKEY ▲](#)

FIELD KBNUM ►

* ALIAS KBNUM
* DATA TYPE String
* WIDTH 254
* PRECISION 0
* SCALE 0

[Hide Field KBNUM ▲](#)

FIELD KBBEZ ►

* ALIAS KBBEZ
* DATA TYPE String
* WIDTH 254
* PRECISION 0
* SCALE 0

[Hide Field KBBEZ ▲](#)

FIELD FLIGHTYEAR ►

* ALIAS FLIGHTYEAR
* DATA TYPE Double
* WIDTH 19
* PRECISION 0
* SCALE 0

[Hide Field FLIGHTYEAR ▲](#)

FIELD RELEASE ►

* ALIAS RELEASE
* DATA TYPE Double
* WIDTH 19
* PRECISION 0
* SCALE 0

[Hide Field RELEASE ▲](#)

FIELD MAX_SEQUEN ►

* ALIAS MAX_SEQUEN
* DATA TYPE Double
* WIDTH 19
* PRECISION 0
* SCALE 0

[Hide Field MAX_SEQUEN ▲](#)

FIELD RESOLUTION ►

- * ALIAS RESOLUTION
- * DATA TYPE SmallInteger
- * WIDTH 4
- * PRECISION 4
- * SCALE 0

Hide Field RESOLUTION ▲

FIELD RESOLUTI_1 ►

- * ALIAS RESOLUTI_1
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field RESOLUTI_1 ▲

FIELD RECORDINGD ►

- * ALIAS RECORDINGD
- * DATA TYPE Date
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

Hide Field RECORDINGD ▲

FIELD SOURCEREF ►

- * ALIAS SOURCEREF
- * DATA TYPE SmallInteger
- * WIDTH 4
- * PRECISION 4
- * SCALE 0

Hide Field SOURCEREF ▲

FIELD SOURCERE_1 ►

- * ALIAS SOURCERE_1
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field SOURCERE_1 ▲

FIELD TERRAINMOD ►

- * ALIAS TERRAINMOD
- * DATA TYPE SmallInteger
- * WIDTH 4
- * PRECISION 4
- * SCALE 0

Hide Field TERRAINMOD ▲

FIELD TERRAINM_1 ►

- * ALIAS TERRAINM_1
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field TERRAINM_1 ▲

FIELD PROVIDER_C ►

- * ALIAS PROVIDER_C
- * DATA TYPE SmallInteger
- * WIDTH 4
- * PRECISION 4
- * SCALE 0

[Hide Field PROVIDER_C ▲](#)

FIELD PROVIDER ►

- * ALIAS PROVIDER
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field PROVIDER ▲](#)

FIELD PROCESSING ►

- * ALIAS PROCESSING
- * DATA TYPE SmallInteger
- * WIDTH 4
- * PRECISION 4
- * SCALE 0

[Hide Field PROCESSING ▲](#)

FIELD PROCESSI_1 ►

- * ALIAS PROCESSI_1
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field PROCESSI_1 ▲](#)

FIELD IMPDATE ►

- * ALIAS IMPDATE
- * DATA TYPE Date
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

[Hide Field IMPDATE ▲](#)

FIELD ANZ_IMG ►

- * ALIAS ANZ_IMG
- * DATA TYPE Single
- * WIDTH 13
- * PRECISION 0
- * SCALE 0

[Hide Field ANZ_IMG ▲](#)

FIELD SEQUENCES ►

- * ALIAS SEQUENCES
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field SEQUENCES ▲](#)

FIELD Shape_Leng ►

- * ALIAS Shape_Leng
- * DATA TYPE Double
- * WIDTH 19
- * PRECISION 0
- * SCALE 0

[Hide Field Shape_Leng ▲](#)

FIELD Shape_Area ►

- * ALIAS Shape_Area

- * DATA TYPE Double
- * WIDTH 19
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Area of feature in internal units squared.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Positive real numbers that are automatically generated.

[Hide Field Shape_Area ▲](#)

[Hide Details for object statusgrid_swissimage_2010_arcsde_201203 ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

METADATA LANGUAGE English (SWITZERLAND)
METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset
SCOPE NAME * dataset

* LAST UPDATE 2015-11-17

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
METADATA STYLE ISO 19139 Metadata Implementation Specification GML3.2
STANDARD OR PROFILE USED TO EDIT METADATA ISO19139

CREATED IN ARCGIS FOR THE ITEM 2015-10-09 16:15:20
LAST MODIFIED IN ARCGIS FOR THE ITEM 2015-11-17 18:08:20

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
LAST UPDATE 2015-11-17 15:42:12

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT
INDIVIDUAL'S NAME Center of Competence Geoinformation of the Swiss Parks - gis@paerke.ch
ORGANIZATION'S NAME Swiss Parks Network
CONTACT'S ROLE originator

[Hide Metadata Contacts ▲](#)

Metadata Maintenance ►

MAINTENANCE
UPDATE FREQUENCY not planned

[Hide Metadata Maintenance ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL
THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼