


SNP_INFRA.postauto_lines

SDE Feature Class



Tags

Postauto

Summary

Bus lines

Description

Postauto Lines in the region of SNP

Credits

There are no credits for this item.

Use limitations

There are no access and use limitations for this item.

Extent

West 9.179549 **East** 10.684538
North 47.002321 **South** 46.198889

Scale Range

There is no scale range for this item.

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

Hide Topics and Keywords ▲

Citation ►

* TITLE SNP_INFRA.postauto_lines

PRESENTATION FORMATS * digital map

Hide Citation ▲

Resource Details ►

DATASET LANGUAGES * German (SWITZERLAND)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.1.1.3300

CREDITS

ARCGIS ITEM PROPERTIES

- * NAME SNP_INFRA.postauto_lines
- * LOCATION Server=192.168.1.15; Service=5154; User=snp_infra; Version=SDE.DEFAULT
- * ACCESS PROTOCOL ArcSDE Connection

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

- * WEST LONGITUDE 9.179549
- * EAST LONGITUDE 10.684538
- * NORTH LATITUDE 47.002321
- * SOUTH LATITUDE 46.198889
- * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

- * WEST LONGITUDE 2734205.162700
- * EAST LONGITUDE 2846836.164000
- * SOUTH LATITUDE 1121280.294400
- * NORTH LATITUDE 1207059.160200
- * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

[Hide Resource Constraints ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_CH1903+
- * PROJECTION CH1903+_LV95
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 2056
 X ORIGIN -27386400
 Y ORIGIN -32067900
 XY SCALE 10000
 Z ORIGIN 0
 Z SCALE 1
 M ORIGIN 0
 M SCALE 1
 XY TOLERANCE 0.001
 Z TOLERANCE 0.001
 M TOLERANCE 0.001
 HIGH PRECISION true
 LATEST WELL-KNOWN IDENTIFIER 2056

WELL-KNOWN TEXT PROJCS["CH1903+_LV95",GEOGCS["GCS_CH1903+",DATUM ["D_CH1903+",SPHEROID["Bessel_1841",6377397.155,299.1528128]],PRIMEM ["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION ["Hotine_Oblique_Mercator_Azimuth_Center"],PARAMETER ["False_Easting",2600000.0],PARAMETER["False_Northing",1200000.0],PARAMETER ["Scale_Factor",1.0],PARAMETER["Azimuth",90.0],PARAMETER ["Longitude_Of_Center",7.439583333333333],PARAMETER ["Latitude_Of_Center",46.95240555555556],UNIT["Meter",1.0],AUTHORITY ["EPSG",2056]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 2056
- * CODESPACE EPSG
- * VERSION 7.11.2

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME SNP_INFRA.postauto_lines

- * OBJECT TYPE composite
- * OBJECT COUNT 1067

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME SNP_INFRA.postauto_lines

- * FEATURE TYPE Simple
- * GEOMETRY TYPE Polyline
- * HAS TOPOLOGY FALSE
- * FEATURE COUNT 1067
- * SPATIAL INDEX TRUE
- * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME Create Feature Class
 DATE 2007-01-12 13:30:07
 TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreateFeatureclass

COMMAND ISSUED

```
CreateFeatureclass C:\GIS_Test\Infra_GISSNP postauto_linien # arc_Layer
SAME_AS_TEMPLATE SAME_AS_TEMPLATE "{B286C06B-0879-11D2-AACA-
00C04FA33C20};103075.951703518 -523274.098296482 1561.93385999567;0 100000;0
100000" # 0 0 0 C:\GIS_Test\Infra_GISSNP\postauto_linien.shp
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Append
 DATE 2007-01-12 13:30:09
 TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management

Tools.tbx\Append

COMMAND ISSUED

```
Append arc_Layer C:\GIS_Test\Infra_GISSNP\postauto_linien.shp TEST
C:\GIS_Test\Infra_GISSNP\postauto_linien.shp
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME FeatureClassToFeatureClass_3

DATE 2007-01-12 13:30:09

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Conversion

Tools.tbx\FeatureClassToFeatureClass

COMMAND ISSUED

```
FeatureClassToFeatureClass
Q:\prjdata\snp_manage\snp_commu\top_engadin\gis_pub\postauto3\arc
C:\GIS_Test\Infra_GISSNP\postauto_linien # "FNODE# FNODE_VISIBLE;TNODE#
TNODE_VISIBLE;LPOLY# LPOLY_VISIBLE;RPOLY# RPOLY_VISIBLE;LENGTH LENGTH
VISIBLE;POSTAUTO3# POSTAUTO3_VISIBLE;POSTAUTO3-ID POSTAUTO31
VISIBLE;ROAD_CODE ROAD_CODE_VISIBLE;POST_CODE POST_CODE_VISIBLE"
SAME_AS_TEMPLATE SAME_AS_TEMPLATE # 0
C:\GIS_Test\Infra_GISSNP\postauto_linien.shp
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

DATE 2009-09-03 16:45:48

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management

Tools.tbx\CopyFeatures

COMMAND ISSUED

```
CopyFeatures Q:\maindata\snp\infra\postauto\postauto_linien.shp
Q:\maindata\snp\infra\gis_pub\infrastructure.gdb\postauto_linien # 0 0 0
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

DATE 2014-10-10 15:22:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data

Management Tools.tbx\Project

COMMAND ISSUED

```
Project postauto_linien
C:\Users\mrapp\Documents\ArcGIS\Default.gdb\postauto_linien_Project PROJCS
['CH1903+_LV95',GEOGCS['GCS_CH1903+',DATUM['D_CH1903+',SPHEROID
['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION
['Hotine_Oblique_Mercator_Azimuth_Center'],PARAMETER
['False_Easting',2600000.0],PARAMETER['False_Northing',1200000.0],PARAMETER
['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
['Longitude_Of_Center',7.439583333333333],PARAMETER
['Latitude_Of_Center',46.95240555555556],UNIT['Meter',1.0]]
CH1903_To_CH1903+_1_NTv2 PROJCS['CH1903_LV03',GEOGCS['GCS_CH1903',DATUM
['D_CH1903',SPHEROID['Bessel_1841',6377397.155,299.1528128]],PRIMEM
['Greenwich',0.0],UNIT['Degree',0.0174532925199433]],PROJECTION
['Hotine_Oblique_Mercator_Azimuth_Center'],PARAMETER
['False_Easting',600000.0],PARAMETER['False_Northing',200000.0],PARAMETER
['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
['Longitude_Of_Center',7.439583333333333],PARAMETER
['Latitude_Of_Center',46.95240555555556],UNIT['Meter',1.0]]
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTOR ►

AVAILABLE FORMAT

* NAME File Geodatabase Feature Class

TRANSFER OPTIONS

* TRANSFER SIZE 0.234

ONLINE SOURCE

* LOCATION file://\marmota\GisData\maindata\snp\infra\gis_pub\infrastructure.gdb
 * ACCESS PROTOCOL Local Area Network
 * DESCRIPTION Downloadable Data

Hide Distributor ▲

DISTRIBUTION FORMAT

* NAME SDE Feature Class

Hide Distribution ▲

Fields ►

DETAILS FOR OBJECT SNP_INFRA.postauto_lines ►

* TYPE Feature Class
 * ROW COUNT 1067

FIELD OBJECTID ►

* ALIAS OBJECTID
 * DATA TYPE OID
 * WIDTH 4
 * PRECISION 10
 * SCALE 0
 * FIELD DESCRIPTION
 Internal feature number.
 * DESCRIPTION SOURCE
 ESRI
 * DESCRIPTION OF VALUES Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD Shape ►

* ALIAS Shape
 * DATA TYPE Geometry
 * WIDTH 4
 * PRECISION 0
 * SCALE 0
 * FIELD DESCRIPTION
 Feature geometry.
 * DESCRIPTION SOURCE
 ESRI
 * DESCRIPTION OF VALUES Coordinates defining the features.

Hide Field Shape ▲

FIELD FNODE_ ►

* ALIAS FNODE_
 * DATA TYPE Integer
 * WIDTH 4
 * PRECISION 10
 * SCALE 0

[Hide Field FNODE_ ▲](#)

FIELD TNODE_ ►

- * ALIAS TNODE_
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

[Hide Field TNODE_ ▲](#)

FIELD LPOLY_ ►

- * ALIAS LPOLY_
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

[Hide Field LPOLY_ ▲](#)

FIELD RPOLY_ ►

- * ALIAS RPOLY_
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

[Hide Field RPOLY_ ▲](#)

FIELD LENGTH ►

- * ALIAS LENGTH
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 38
- * SCALE 8

[Hide Field LENGTH ▲](#)

FIELD POSTAUTO3_ ►

- * ALIAS POSTAUTO3_
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

[Hide Field POSTAUTO3_ ▲](#)

FIELD POSTAUTO31 ►

- * ALIAS POSTAUTO31
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

[Hide Field POSTAUTO31 ▲](#)

FIELD ROAD_CODE ►

- * ALIAS ROAD_CODE
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

[Hide Field ROAD_CODE ▲](#)

FIELD POST_CODE ►

- * ALIAS POST_CODE
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

[Hide Field POST_CODE ▲](#)

FIELD SHAPE.LEN ►

- * ALIAS SHAPE.LEN
- * DATA TYPE Double
- * WIDTH 0
- * PRECISION 0
- * SCALE 0

[Hide Field SHAPE.LEN ▲](#)

[Hide Details for object SNP_INFRA.postauto_lines ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

- * METADATA LANGUAGE German (SWITZERLAND)
- * METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset

SCOPE NAME * dataset

* LAST UPDATE 2014-10-10

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE FGDC CSDGM Metadata

CREATED IN ARCGIS FOR THE ITEM 2014-10-10 15:25:29

LAST MODIFIED IN ARCGIS FOR THE ITEM 2014-10-10 15:26:41

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2014-10-10 15:26:41

[Hide Metadata Details ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL
THUMBNAIL TYPE BMP

Hide Thumbnail and Enclosures ▲

FGDC Metadata (read-only) ▼