


SNP_INFRA.accomodations

SDE Feature Class



Tags

Accommodation, Swiss National Park, Unterkunft, Hütte, Übernachtung, Ofenpass

Summary

Accommodation in the Swiss Nationalpark and surrounding Area

Description

Accommodation in the Swiss Nationalpark and surrounding Area. This dataset has been digitised manually.

Credits

There are no credits for this item.

Use limitations

There are no access and use limitations for this item.

Extent

West 10.033069 **East** 10.336332
North 46.723905 **South** 46.602509

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

Hide Topics and Keywords ▲

Citation ►

* TITLE SNP_INFRA.accomodations

PRESENTATION FORMATS * digital map

Hide Citation ▲

Resource Details ►

DATASET LANGUAGES * German (SWITZERLAND)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.1.1.3300

ARCGIS ITEM PROPERTIES

- * NAME SNP_INFRA.accomodations
- * LOCATION Server=192.168.1.15; Service=5154; User=snp_infra; Version=SDE.DEFAULT
- * ACCESS PROTOCOL ArcSDE Connection

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

- * WEST LONGITUDE 10.033069
- * EAST LONGITUDE 10.336332
- * NORTH LATITUDE 46.723905
- * SOUTH LATITUDE 46.602509
- * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

- * WEST LONGITUDE 2798625.063200
- * EAST LONGITUDE 2821401.256500
- * SOUTH LATITUDE 1165188.891700
- * NORTH LATITUDE 1177893.049100
- * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_CH1903+
- * PROJECTION CH1903+_LV95
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 2056

X ORIGIN -27386400

Y ORIGIN -32067900

XY SCALE 10000

Z ORIGIN 0

Z SCALE 1

M ORIGIN 0

M SCALE 1

XY TOLERANCE 0.001

Z TOLERANCE 1.9999999999999998e-005

M TOLERANCE 1.9999999999999998e-005

HIGH PRECISION true

LATEST WELL-KNOWN IDENTIFIER 2056

WELL-KNOWN TEXT PROJCS["CH1903+_LV95",GEOGCS["GCS_CH1903+",DATUM ["D_CH1903+",SPHEROID["Bessel_1841",6377397.155,299.1528128]],PRIMEM ["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION ["Hotine_Oblique_Mercator_Azimuth_Center"],PARAMETER ["False_Easting",2600000.0],PARAMETER["False_Northing",1200000.0],PARAMETER ["Scale_Factor",1.0],PARAMETER["Azimuth",90.0],PARAMETER ["Longitude_Of_Center",7.439583333333333],PARAMETER ["Latitude_Of_Center",46.95240555555556],UNIT["Meter",1.0],AUTHORITY

["EPSG",2056]]

REFERENCE SYSTEM IDENTIFIER

* VALUE 2056
* CODESPACE EPSG
* VERSION 7.11.2

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME SNP_INFRA.accomodations
* OBJECT TYPE point
* OBJECT COUNT 8

[Hide Vector ▲](#)

ARC GIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME SNP_INFRA.accomodations
* FEATURE TYPE Simple
* GEOMETRY TYPE Point
* HAS TOPOLOGY FALSE
* FEATURE COUNT 8
* SPATIAL INDEX TRUE
* LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME Create Feature Class

DATE 2007-02-28 21:29:05

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreateFeatureclass

COMMAND ISSUED

```
CreateFeatureclass C:\ArcIMS\Geodaten\Access\ArcIMS.mdb Unterkunft_ArcIMS #
  Unterkunft_ArcIMS_Layer SAME_AS_TEMPLATE SAME_AS_TEMPLATE "{B286C06B-0879-
  11D2-AACA-00C04FA33C20};775621.480366 137192.4100535 31249.9999708962;0
  100000;0 100000" # 0 0 0
  C:\ArcIMS\Geodaten\Access\ArcIMS.mdb\Unterkunft_ArcIMS
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Append

DATE 2007-02-28 21:29:06

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

```
Append Unterkunft_ArcIMS_Layer
  C:\ArcIMS\Geodaten\Access\ArcIMS.mdb\Unterkunft_ArcIMS TEST
  C:\ArcIMS\Geodaten\Access\ArcIMS.mdb\Unterkunft_ArcIMS
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME FeatureClassToFeatureClass_1

DATE 2007-02-28 21:29:07

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToFeatureClass

COMMAND ISSUED

```
FeatureClassToFeatureClass "C:\ArcIMS\Geodaten\Restliche
Vektordaten\Unterkunft_ArcIMS.shp" C:\ArcIMS\Geodaten\Access\ArcIMS.mdb
Unterkunft_ArcIMS # "NAME NAME VISIBLE;ORT ORT VISIBLE;ART ART VISIBLE;LINK
LINK VISIBLE;ID ID VISIBLE;GEBIET GEBIET VISIBLE" SAME_AS_TEMPLATE
SAME_AS_TEMPLATE # 0 C:\ArcIMS\Geodaten\Access\ArcIMS.mdb\Unterkunft_ArcIMS
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2007-03-20 10:51:13

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CopyFeatures

COMMAND ISSUED

```
CopyFeatures T:\Geodaten\Access\ArcIMS.mdb\Unterkunft_ArcIMS
D:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Unterkunft_ArcIMS_1 #
0 0 0
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2010-01-14 14:54:59

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management
Tools.tbx\Project

COMMAND ISSUED

```
Project C:\gisdata\gis_pub\IK.gdb\Unterkunft_ArcIMS_en
C:\gisdata\gis_pub\IK_wgs.gdb\UK_en PROJCS
['WGS_1984_Web_Mercator_Auxiliary_Sphere',GEOGCS['GCS_WGS_1984',DATUM
['D_WGS_1984',SPHEROID['WGS_1984',6378137.0,298.257223563]],PRIMEM
['Greenwich',0.0],UNIT['Degree',0.0174532925199433]],PROJECTION
['Mercator_Auxiliary_Sphere'],PARAMETER['False_Easting',0.0],PARAMETER
['False_Northing',0.0],PARAMETER['Central_Meridian',0.0],PARAMETER
['Standard_Parallel_1',0.0],PARAMETER['Auxiliary_Sphere_Type',0.0],UNIT
['Meter',1.0]] CH1903_To_WGS_1984_2 PROJCS['CH1903_LV03',GEOGCS
['GCS_CH1903',DATUM['D_CH1903',SPHEROID
['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION
['Hotine_Oblique_Mercator_Azimuth_Center'],PARAMETER
['False_Easting',600000.0],PARAMETER['False_Northing',200000.0],PARAMETER
['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
['Longitude_Of_Center',7.439583333333333],PARAMETER
['Latitude_Of_Center',46.95240555555556],UNIT['Meter',1.0]]
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-10-10 16:13:32

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\Project

COMMAND ISSUED

```
Project UK_en C:\Users\mrapp\Documents\ArcGIS\Default.gdb\UK_en_Project
GEOGCS['GCS_WGS_1984',DATUM['D_WGS_1984',SPHEROID
['WGS_1984',6378137.0,298.257223563]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]] # PROJCS
['WGS_1984_Web_Mercator_Auxiliary_Sphere',GEOGCS['GCS_WGS_1984',DATUM
['D_WGS_1984',SPHEROID['WGS_1984',6378137.0,298.257223563]],PRIMEM
['Greenwich',0.0],UNIT['Degree',0.0174532925199433]],PROJECTION
['Mercator_Auxiliary_Sphere'],PARAMETER['False_Easting',0.0],PARAMETER
['False_Northing',0.0],PARAMETER['Central_Meridian',0.0],PARAMETER
['Standard_Parallel_1',0.0],PARAMETER['Auxiliary_Sphere_Type',0.0],UNIT
```

['Meter',1.0]]

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-10-10 16:13:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\Project

COMMAND ISSUED

Project UK_en_Project

C:\Users\mrapp\Documents\ArcGIS\Default.gdb\UK_en_Project_Project PROJCS

['CH1903+_LV95',GEOGCS['GCS_CH1903+',DATUM['D_CH1903+',SPHEROID
['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION

['Hotine_Oblique_Mercator_Azimuth_Center'],PARAMETER

['False_Easting',2600000.0],PARAMETER['False_Northing',1200000.0],PARAMETER

['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER

['Longitude_Of_Center',7.439583333333333],PARAMETER

['Latitude_Of_Center',46.952405555555556],UNIT['Meter',1.0]]

CH1903+_To_WGS_1984_1 GEOGCS['GCS_WGS_1984',DATUM['D_WGS_1984',SPHEROID

['WGS_1984',6378137.0,298.257223563]],PRIMEM['Greenwich',0.0],UNIT

['Degree',0.0174532925199433],METADATA['World',-180.0,-

90.0,180.0,90.0,0.0,0.0174532925199433,0.0,1262]]

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTOR ►

AVAILABLE FORMAT

* NAME Personal GeoDatabase Feature Class

TRANSFER OPTIONS

ONLINE SOURCE

* LOCATION file://\S9ARCGIS\gisdata\gis_pub\IK_wgs.gdb

* ACCESS PROTOCOL Local Area Network

* DESCRIPTION Downloadable Data

[Hide Distributor ▲](#)

DISTRIBUTION FORMAT

* NAME SDE Feature Class

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT **SNP_INFRA.accomodations** ►

* TYPE Feature Class

* ROW COUNT 8

FIELD **OBJECTID** ►

* ALIAS OBJECTID

* DATA TYPE OID

* WIDTH 4

* PRECISION 10

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

ESRI

* DESCRIPTION OF VALUES Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD Shape ▶

* ALIAS Shape
* DATA TYPE Geometry
* WIDTH 4
* PRECISION 0
* SCALE 0
* FIELD DESCRIPTION
Feature geometry.

* DESCRIPTION SOURCE
ESRI

* DESCRIPTION OF VALUES Coordinates defining the features.

[Hide Field Shape ▲](#)

FIELD NAME ▶

* ALIAS NAME
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field NAME ▲](#)

FIELD ORT ▶

* ALIAS ORT
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field ORT ▲](#)

FIELD ART ▶

* ALIAS ART
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field ART ▲](#)

FIELD LINK ▶

* ALIAS LINK
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field LINK ▲](#)

FIELD ID ▶

- * ALIAS ID
- * DATA TYPE SmallInteger
- * WIDTH 2
- * PRECISION 5
- * SCALE 0

[Hide Field ID](#) ▲**FIELD GEBIET** ▶

- * ALIAS GEBIET
- * DATA TYPE SmallInteger
- * WIDTH 2
- * PRECISION 5
- * SCALE 0

[Hide Field GEBIET](#) ▲[Hide Details for object SNP_INFRA.accomodations](#) ▲[Hide Fields](#) ▲**Metadata Details** ▶

- * METADATA LANGUAGE German (SWITZERLAND)
- * METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
 SCOPE NAME * dataset

* LAST UPDATE 2014-10-13

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
 METADATA STYLE FGDC CSDGM Metadata
 STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2014-10-13 17:39:46
 LAST MODIFIED IN ARCGIS FOR THE ITEM 2014-10-13 17:40:34

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
 LAST UPDATE 2014-10-13 17:40:34

[Hide Metadata Details](#) ▲**Thumbnail and Enclosures** ▶

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures](#) ▲**FGDC Metadata (read-only)** ▼