


geologiepoints

File Geodatabase Feature Class



Tags

Geologische Kartierung, Schweizer Nationalpark

Summary

Geologische und tlw. geomorphologische Punktsignaturen. Generalisierung der geologischen Daten aus verschiedenen Arbeiten und Masstäben von Janett Hanitzsch

Description

Geologie, Quartär, SNP

Credits

M. Clausen, D. Locher, R. Doessegger, D. Gaar, L. Inderbitzin, A. Margreth, S. Schwienbacher, St. Strasky, Chr. Haemmig

Use limitations

There are no access and use limitations for this item.

Extent

West 10.006734 **East** 10.466343
North 46.846848 **South** 46.540968

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

Hide Topics and Keywords ▲

Citation ►

* TITLE geologiepoints

PRESENTATION FORMATS digital map

Hide Citation ▲

Resource Details ►

DATASET LANGUAGES German (SWITZERLAND)

SPATIAL REPRESENTATION TYPE vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.2.2.3631

CREDITS

M. Clausen, D. Locher, R. Doessegger, D. Gaar, L. Inderbitzin, A. Margreth, S. Schwienbacher, St. Strasky, Chr. Haemmig

ARCGIS ITEM PROPERTIES

* NAME geologiepoints

* SIZE 0,000

* LOCATION file:///\\marmota\Data\maindata\snp\geo\gis_pub\generalisierung_hanitzsch.gdb

* ACCESS PROTOCOL Local Area Network

Hide Resource Details ▲

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE 10.006734

* EAST LONGITUDE 10.466343

* NORTH LATITUDE 46.846848

* SOUTH LATITUDE 46.540968

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 2796819.281800

* EAST LONGITUDE 2830822.087400

* SOUTH LATITUDE 1158698.279800

* NORTH LATITUDE 1191506.551900

* EXTENT CONTAINS THE RESOURCE Yes

Hide Extents ▲

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE Projected

* GEOGRAPHIC COORDINATE REFERENCE GCS_CH1903+

* PROJECTION CH1903+_LV95

* COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 2056

X ORIGIN -27386400

Y ORIGIN -32067900

XY SCALE 10000

Z ORIGIN -100000

Z SCALE 10000

M ORIGIN -100000

M SCALE 10000

XY TOLERANCE 0.001

Z TOLERANCE 0.001

M TOLERANCE 0.001

HIGH PRECISION true
 LATEST WELL-KNOWN IDENTIFIER 2056
 WELL-KNOWN TEXT PROJCS["CH1903+_LV95",GEOGCS["GCS_CH1903+",DATUM
 ["D_CH1903+",SPHEROID["Bessel_1841",6377397.155,299.1528128]],PRIMEM
 ["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION
 ["Hotine_Oblique_Mercator_Azimuth_Center"],PARAMETER
 ["False_Easting",2600000.0],PARAMETER["False_Northing",1200000.0],PARAMETER
 ["Scale_Factor",1.0],PARAMETER["Azimuth",90.0],PARAMETER
 ["Longitude_Of_Center",7.439583333333333],PARAMETER
 ["Latitude_Of_Center",46.95240555555556],UNIT["Meter",1.0],AUTHORITY
 ["EPSG",2056]]

REFERENCE SYSTEM IDENTIFIER

VALUE 2056
 * CODESPACE EPSG
 * VERSION 8.2.6

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME geologiepoints
 * OBJECT TYPE point
 * OBJECT COUNT 1402

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME geologiepoints
 * FEATURE TYPE Simple
 * GEOMETRY TYPE Point
 * HAS TOPOLOGY FALSE
 * FEATURE COUNT 1402
 * SPATIAL INDEX TRUE
 * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME
 DATE 2012-07-05 16:11:40
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0
 \ArcToolbox\Toolboxes\Conversion Tools.tbx\RasterToPolygon
 COMMAND ISSUED
 RasterToPolygon georas3_nibbl C:\Users\schnettchen_2\Documents\14-11-
 11_studienarbeit\studienarbeit\generalisierung\geologie4.shp SIMPLIFY
 georas3.vat:FORMATION
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-07-05 16:20:01

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0
 \ArcToolbox\Toolboxes\Cartography Tools.tbx\SmoothPolygon

COMMAND ISSUED

SmoothPolygon geologie4 C:\Users\schnettchen_2\Documents\14-11-11_studienarbeit\studienarbeit\generalisierung\geologie4smooth.shp PAEK "100 Meters" FIXED_ENDPOINT FLAG_ERRORS

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-07-05 16:21:22

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\FeatureToPoint

COMMAND ISSUED

FeatureToPoint geologie4smooth C:\Users\schnettchen_2\Documents\14-11-11_studienarbeit\studienarbeit\generalisierung\geologie4points.shp INSIDE

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-07-05 16:32:28

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Merge

COMMAND ISSUED

Merge geologie4points;geologie3points;geologie2points C:\Users\schnettchen_2\Documents\14-11-11_studienarbeit\studienarbeit\generalisierung\geologiepoints.shp "ID "ID" true true false 10 Double 0 10 ,First,#,geologie4points,ID,-1,-1,geologie3points,ID,-1,-1,geologie2points,ID,-1,-1;GRIDCODE "GRIDCODE" true true false 10 Double 0 10 ,First,#,geologie4points,GRIDCODE,-1,-1,geologie3points,GRIDCODE,-1,-1,geologie2points,GRIDCODE,-1,-1;FORMATION "FORMATION" true true false 96 Text 0 0 ,First,#,geologie4points,FORMATION,-1,-1,geologie3points,FORMATION,-1,-1,geologie2points,FORMATION,-1,-1;InPoly_FID "InPoly_FID" true true false 9 Long 0 9 ,First,#,geologie4points,InPoly_FID,-1,-1,geologie3points,InPoly_FID,-1,-1;SmoPgnFlag "SmoPgnFlag" true true false 9 Long 0 9 ,First,#,geologie4points,SmoPgnFlag,-1,-1,geologie3points,SmoPgnFlag,-1,-1;area "area" true true false 19 Double 0 0 ,First,#,geologie4points,area,-1,-1,geologie3points,area,-1,-1,geologie2points,area,-1,-1;ORIG_FID "ORIG_FID" true true false 9 Long 0 9 ,First,#,geologie4points,ORIG_FID,-1,-1,geologie3points,ORIG_FID,-1,-1,geologie2points,ORIG_FID,-1,-1"

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-07-10 22:14:49

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures "C:\Users\schnettchen_2\Documents\14-11-11_studienarbeit\studienarbeit\SNP_Abgabe\gis_pub\map\geologiepoints.shp" "C:\Users\schnettchen_2\Documents\14-11-11_studienarbeit\studienarbeit\SNP_Abgabe\gis_pub\map\map.gdb\geologiepoints" # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

Hide Geoprocessing history ▲

Distribution ►

DISTRIBUTION FORMAT

* **NAME** File Geodatabase Feature Class

TRANSFER OPTIONS

* **TRANSFER SIZE** 0,000

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT [geologiepoints ►](#)

- * TYPE Feature Class
- * ROW COUNT 1402

FIELD [OBJECTID ►](#)

- * ALIAS OBJECTID
- * DATA TYPE OID
- * WIDTH 4
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Internal feature number.
- * DESCRIPTION SOURCE
ESRI
- * DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD [Shape ►](#)

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.
- * DESCRIPTION SOURCE
ESRI
- * DESCRIPTION OF VALUES
Coordinates defining the features.

[Hide Field Shape ▲](#)

FIELD [ID ►](#)

- * ALIAS ID
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

[Hide Field ID ▲](#)

FIELD [GRIDCODE ►](#)

- * ALIAS GRIDCODE
- * DATA TYPE Double

- * WIDTH 8
- * PRECISION 0
- * SCALE 0

Hide Field GRIDCODE ▲

FIELD FORMATION ►

- * ALIAS FORMATION
- * DATA TYPE String
- * WIDTH 96
- * PRECISION 0
- * SCALE 0

Hide Field FORMATION ▲

FIELD InPoly_FID ►

- * ALIAS InPoly_FID
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 0
- * SCALE 0

Hide Field InPoly_FID ▲

FIELD SmoPgnFlag ►

- * ALIAS SmoPgnFlag
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 0
- * SCALE 0

Hide Field SmoPgnFlag ▲

FIELD area ►

- * ALIAS area
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

Hide Field area ▲

FIELD ORIG_FID ►

- * ALIAS ORIG_FID
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 0
- * SCALE 0

Hide Field ORIG_FID ▲

Hide Details for object geologiepoints ▲

Hide Fields ▲

Metadata Details ►

METADATA LANGUAGE German (SWITZERLAND)
METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset
SCOPE NAME * dataset

* LAST UPDATE 2016-06-21

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
STANDARD OR PROFILE USED TO EDIT METADATA ItemDescription

CREATED IN ARCGIS FOR THE ITEM 2012-07-05 17:01:42
LAST MODIFIED IN ARCGIS FOR THE ITEM 2016-06-21 15:26:06

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
LAST UPDATE 2016-06-21 15:26:06

ITEM LOCATION HISTORY

ITEM COPIED OR MOVED 2012-07-05 17:01:42
FROM C:\Users\schnettchen_2\Documents\14-11-11_studienarbeit\studienarbeit\generalisierung\geologiepoints
TO \\LENOVO-G560\C\$\Users\schnettchen_2\Documents\14-11-11_studienarbeit\studienarbeit\map\geologiepoints

[Hide Metadata Details ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼