


kinderpfad_champloench

File Geodatabase Feature Class



Tags

Hiking, Trails, Wanderwege, Kinderpfad, Champönc

Summary

Hiking trail of the Kinderpfad Champlönch, extracted from hiking trails in the SNP

Description

Hiking trail of the Kinderpfad Champlönch, extracted from hiking trails in the SNP

Credits

internal use

Use limitations

none

Extent

West 10.167667 **East** 10.212732
North 46.681353 **South** 46.665258

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

Hide Topics and Keywords ▲

Citation ►

* TITLE kinderpfad_champloench

PRESENTATION FORMATS * digital map

Hide Citation ▲

Resource Details ▶

DATASET LANGUAGES * German (SWITZERLAND)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.3.1.5004

CREDITS

internal use

ARCGIS ITEM PROPERTIES

* NAME kinderpfad_champloench

* LOCATION file:///\\marmota\Data\maindata\snp\infra\trails\gis_pub\trails.gdb

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ▶

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE 10.167667

* EAST LONGITUDE 10.212732

* NORTH LATITUDE 46.681353

* SOUTH LATITUDE 46.665258

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 2808710.244600

* EAST LONGITUDE 2812101.664800

* SOUTH LATITUDE 1171832.141300

* NORTH LATITUDE 1173503.329700

* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Constraints ▶

CONSTRAINTS

LIMITATIONS OF USE

none

[Hide Resource Constraints ▲](#)

Spatial Reference ▶

ARCGIS COORDINATE SYSTEM

* TYPE Projected

* GEOGRAPHIC COORDINATE REFERENCE GCS_CH1903+

* PROJECTION CH1903+_LV95

* COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 2056

X ORIGIN -27386400

Y ORIGIN -32067900

XY SCALE 10000

Z ORIGIN 0
 Z SCALE 1
 M ORIGIN 0
 M SCALE 1
 XY TOLERANCE 0.001
 Z TOLERANCE 0.001
 M TOLERANCE 0.001
 HIGH PRECISION true
 LATEST WELL-KNOWN IDENTIFIER 2056
 WELL-KNOWN TEXT PROJCS["CH1903+_LV95",GEOGCS["GCS_CH1903+",DATUM
 ["D_CH1903+",SPHEROID["Bessel_1841",6377397.155,299.1528128]],PRIMEM
 ["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION
 ["Hotine_Oblique_Mercator_Azimuth_Center"],PARAMETER
 ["False_Easting",2600000.0],PARAMETER["False_Northing",1200000.0],PARAMETER
 ["Scale_Factor",1.0],PARAMETER["Azimuth",90.0],PARAMETER
 ["Longitude_Of_Center",7.439583333333333],PARAMETER
 ["Latitude_Of_Center",46.95240555555556],UNIT["Meter",1.0],AUTHORITY
 ["EPSG",2056]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 2056
- * CODESPACE EPSG
- * VERSION 8.6.2

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

- FEATURE CLASS NAME kinderpfad_champloench
- * OBJECT TYPE composite
 - * OBJECT COUNT 1

[Hide Vector ▲](#)

ARCgis FEATURE CLASS PROPERTIES ►

- FEATURE CLASS NAME kinderpfad_champloench
- * FEATURE TYPE Simple
 - * GEOMETRY TYPE Polyline
 - * HAS TOPOLOGY FALSE
 - * FEATURE COUNT 1
 - * SPATIAL INDEX TRUE
 - * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

- PROCESS NAME Create Feature Class
 DATE 2007-02-28 21:38:28
 TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CreateFeatureclass
 COMMAND ISSUED
 CreateFeatureclass C:\ArcIMS\Geodaten\Access\ArcIMS.mdb Wanderwege_ArcIMS #

```

Wanderwege_ArcIMS_Layer SAME_AS_TEMPLATE SAME_AS_TEMPLATE "PROJCS
['Bessel_1841_Hotline_Oblique_Mercator_Azimuth_Natural_Origin',GEOGCS
['GCS_Bessel_1841',DATUM['D_Bessel_1841',SPHEROID
['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION
['Hotline_Oblique_Mercator_Azimuth_Natural_Origin'],PARAMETER
['False_Easting',-9419823.847],PARAMETER
['False_Northing',199976.188],PARAMETER['Scale_Factor',1.0],PARAMETER
['Azimuth',90.0],PARAMETER['Longitude_Of_Center',7.4395375],PARAMETER
['Latitude_Of_Center',46.95219166666666],UNIT['Meter',1.0]];739467.708524426
104178.6247945 15624.9999854481;0 100000;0 100000" # 0 0 0
C:\ArcIMS\Geodaten\Access\ArcIMS.mdb\Wanderwege_ArcIMS

```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Append

DATE 2007-02-28 21:38:29

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management
Tools.tbx\Append

COMMAND ISSUED

Append Wanderwege_ArcIMS_Layer

C:\ArcIMS\Geodaten\Access\ArcIMS.mdb\Wanderwege_ArcIMS TEST

C:\ArcIMS\Geodaten\Access\ArcIMS.mdb\Wanderwege_ArcIMS

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME FeatureClassToFeatureClass_2

DATE 2007-02-28 21:38:30

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToFeatureClass

COMMAND ISSUED

FeatureClassToFeatureClass "C:\ArcIMS\Geodaten\Restliche

Vektordaten\Wanderwege_ArcIMS.shp" C:\ArcIMS\Geodaten\Access\ArcIMS.mdb

Wanderwege_ArcIMS # "Id Id VISIBLE;NAME NAME VISIBLE;SCHWIERIGK SCHWIERIGK

VISIBLE;SCHW_CODE SCHW_CODE VISIBLE;MARSCHZEIT MARSCHZEIT VISIBLE;STATUS

STATUS VISIBLE;STATUS_COD STATUS_COD VISIBLE;UK UK VISIBLE" SAME_AS_TEMPLATE

SAME_AS_TEMPLATE # 0 C:\ArcIMS\Geodaten\Access\ArcIMS.mdb\Wanderwege_ArcIMS

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2007-03-20 10:51:15

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures T:\Geodaten\Access\ArcIMS.mdb\Wanderwege_ArcIMS

D:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Wanderwege_ArcIMS_1 #

0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME SplitLine_1

DATE 2007-04-05 15:25:15

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management
Tools.tbx\SplitLine

COMMAND ISSUED

SplitLine

D:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Wanderwege_ArcIMS

D:\ArcIMS\Geodata\Interaktive_Karte\Wanderwege_split.shp

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2009-09-03 16:53:53

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures Q:\maindata\snp\infra\wanderwege\Wanderwege.shp
Q:\maindata\snp\infra\gis_pub\trails.gdb\Wanderwege # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-10-09 18:46:33

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\Project

COMMAND ISSUED

Project Q:\maindata\snp\infra\trails\gis_pub\trails.gdb\wegnetz_snp
C:\Users\mrapp\Documents\ArcGIS\Default.gdb\wegnetz_snp_lv95 PROJCS
['CH1903+_LV95',GEOGCS['GCS_CH1903+',DATUM['D_CH1903+',SPHEROID
['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION
['Hotine_Oblique_Mercator_Azimuth_Center'],PARAMETER
['False_Easting',2600000.0],PARAMETER['False_Northing',1200000.0],PARAMETER
['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
['Longitude_Of_Center',7.439583333333333],PARAMETER
['Latitude_Of_Center',46.95240555555556],UNIT['Meter',1.0]]
CH1903_To_CH1903+_1_NTv2 PROJCS['CH1903_LV03',GEOGCS['GCS_CH1903',DATUM
['D_CH1903',SPHEROID['Bessel_1841',6377397.155,299.1528128]],PRIMEM
['Greenwich',0.0],UNIT['Degree',0.0174532925199433]],PROJECTION
['Hotine_Oblique_Mercator_Azimuth_Center'],PARAMETER
['False_Easting',600000.0],PARAMETER['False_Northing',200000.0],PARAMETER
['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
['Longitude_Of_Center',7.439583333333333],PARAMETER
['Latitude_Of_Center',46.95240555555556],UNIT['Meter',1.0]]

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-06-29 19:50:30

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\ChangePrivileges

COMMAND ISSUED

ChangePrivileges 'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.accomodations';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.border_hist';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.border_line';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.border_polygon';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.hiking_trails';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.huts_snp';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.info_points_snp';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.parkings';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.parktraverse';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.passpoints';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.points_trails_mustair';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.points_trails_snp';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.postauto_lines';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.postauto_lines_snp';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.postauto_stop';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.restareas';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.subareas';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.UNESCO_perimeter_2016';'Database
Connections\snp_infra_MELES.sde\SNP_INFRA.UNESCO_zoning_2016' read_snp GRANT
#

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTOR ▶

AVAILABLE FORMAT

- * NAME File Geodatabase Feature Class

TRANSFER OPTIONS

- * TRANSFER SIZE 0.384

ONLINE SOURCE

- * LOCATION file:///\\marmota\GisData\maindata\snp\infra\border\gis_pub\trails.gdb
- * ACCESS PROTOCOL Local Area Network
- * DESCRIPTION Downloadable Data

Hide Distributor ▲

DISTRIBUTION FORMAT

- * NAME File Geodatabase Feature Class

Hide Distribution ▲

Fields ▶DETAILS FOR OBJECT **kinderpfad_champloench** ▶

- * TYPE Feature Class
- * ROW COUNT 1

FIELD **OBJECTID** ▶

- * ALIAS OBJECTID
- * DATA TYPE OID
- * WIDTH 4
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Internal feature number.
- * DESCRIPTION SOURCE
ESRI
- * DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD **Shape** ▶

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.
- * DESCRIPTION SOURCE
ESRI
- * DESCRIPTION OF VALUES
Coordinates defining the features.

[Hide Field Shape ▲](#)

FIELD Id ►

- * ALIAS Id
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 0
- * SCALE 0

[Hide Field Id ▲](#)

FIELD NAME ►

- * ALIAS NAME
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field NAME ▲](#)

FIELD MARSCHZEIT ►

- * ALIAS MARSCHZEIT
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field MARSCHZEIT ▲](#)

FIELD DAT__AUFNAHME ►

- * ALIAS DAT__AUFNAHME
- * DATA TYPE Date
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

[Hide Field DAT__AUFNAHME ▲](#)

FIELD BEMERKUNGEN ►

- * ALIAS BEMERKUNGEN
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field BEMERKUNGEN ▲](#)

FIELD SHAPE_Length ►

- * ALIAS SHAPE_Length
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Length of feature in internal units.

*** DESCRIPTION SOURCE**

Esri

*** DESCRIPTION OF VALUES**

Positive real numbers that are automatically generated.

[Hide Field SHAPE_Length ▲](#)[Hide Details for object kinderpfad_champloench ▲](#)[Hide Fields ▲](#)**Metadata Details ►***** METADATA LANGUAGE** German (SWITZERLAND)*** METADATA CHARACTER SET** utf8 - 8 bit UCS Transfer FormatSCOPE OF THE DATA DESCRIBED BY THE METADATA *** dataset**SCOPE NAME *** dataset***** LAST UPDATE** 2017-05-24

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE FGDC CSDGM Metadata

STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2017-03-01 16:34:56

LAST MODIFIED IN ARCGIS FOR THE ITEM 2017-05-24 09:10:40

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2017-05-24 09:10:40

[Hide Metadata Details ▲](#)**Thumbnail and Enclosures ►**

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)**FGDC Metadata (read-only) ▼**