


aussichtspunkte

File Geodatabase Feature Class



Tags

Aussichtspunkt, view point, Wanderwege, Trails, Swiss National Park, rastplatz, rest areas

Summary

View points in the Swiss National Park

Description

View points in the Swiss National Park

Credits

There are no credits for this item.

Use limitations

There are no access and use limitations for this item.

Extent

West 10.094338 **East** 10.308192

North 46.718758 **South** 46.578842

Scale Range

Maximum (zoomed in) 1:5,000

Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

Hide Topics and Keywords ▲

Citation ►

* TITLE aussichtspunkte

PRESENTATION FORMATS * digital map

Hide Citation ▲

Resource Details ►

DATASET LANGUAGES * German (SWITZERLAND)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.3.1.5004

ARCGIS ITEM PROPERTIES

- * NAME aussichtspunkte
- * LOCATION file:///\\marmota\Data\maindata\snp\infra\gis_pub\infrastructure.gdb
 - * ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

- * WEST LONGITUDE 10.094338
- * EAST LONGITUDE 10.308192
- * NORTH LATITUDE 46.718758
- * SOUTH LATITUDE 46.578842
- * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

- * WEST LONGITUDE 2803412.770700
- * EAST LONGITUDE 2819263.655400
- * SOUTH LATITUDE 1162477.974500
- * NORTH LATITUDE 1177481.342300
- * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_CH1903+
- * PROJECTION CH1903+_LV95
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 2056
 X ORIGIN -27386400
 Y ORIGIN -32067900
 XY SCALE 10000
 Z ORIGIN 0
 Z SCALE 1
 M ORIGIN 0
 M SCALE 1
 XY TOLERANCE 0.001
 Z TOLERANCE 2
 M TOLERANCE 2
 HIGH PRECISION true
 LATEST WELL-KNOWN IDENTIFIER 2056
 WELL-KNOWN TEXT PROJCS["CH1903+_LV95",GEOGCS["GCS_CH1903+",DATUM
 ["D_CH1903+",SPHEROID["Bessel_1841",6377397.155,299.1528128]],PRIMEM
 ["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION
 ["Hotine_Oblique_Mercator_Azimuth_Center"],PARAMETER
 ["False_Easting",2600000.0],PARAMETER["False_Northing",1200000.0],PARAMETER
 ["Scale_Factor",1.0],PARAMETER["Azimuth",90.0],PARAMETER
 ["Longitude_Of_Center",7.439583333333333],PARAMETER
 ["Latitude_Of_Center",46.95240555555556],UNIT["Meter",1.0],AUTHORITY["EPSG",2056]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 2056
- * CODESPACE EPSG
- * VERSION 8.6.2

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME aussichtspunkte
 * OBJECT TYPE point
 * OBJECT COUNT 12

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME aussichtspunkte
 * FEATURE TYPE Simple
 * GEOMETRY TYPE Point
 * HAS TOPOLOGY FALSE
 * FEATURE COUNT 12
 * SPATIAL INDEX TRUE
 * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME Create Feature Class
 DATE 2007-06-14 15:14:15
 TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreateFeatureclass
 COMMAND ISSUED
 CreateFeatureclass D:\ArcIMS\Geodata\Access\ArcIMS.mdb Rastplatz # Rastplatz_Layer
 SAME_AS_TEMPLATE SAME_AS_TEMPLATE "PROJCS
 ['Bessel_1841_Hotine_Oblique_Mercator_Azimuth_Natural_Origin',GEOGCS
 ['GCS_Bessel_1841',DATUM['D_Bessel_1841',SPHEROID
 ['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
 ['Degree',0.0174532925199433]],PROJECTION
 ['Hotine_Oblique_Mercator_Azimuth_Natural_Origin'],PARAMETER['False_Easting',-
 9419823.847],PARAMETER['False_Northing',199976.188],PARAMETER
 ['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
 ['Longitude_Of_Center',7.4395375],PARAMETER
 ['Latitude_Of_Center',46.95219166666666],UNIT['Meter',1.0]];776072.797950663
 136270.628725928 31249.9999708962;0 100000;0 100000" # 0 0 0
 D:\ArcIMS\Geodata\Access\ArcIMS.mdb\Rastplatz
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Append
 DATE 2007-06-14 15:14:16
 TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append
 COMMAND ISSUED
 Append Rastplatz_Layer D:\ArcIMS\Geodata\Access\ArcIMS.mdb\Rastplatz TEST
 D:\ArcIMS\Geodata\Access\ArcIMS.mdb\Rastplatz
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME FeatureClassToFeatureClass_1
 DATE 2007-06-14 15:14:16
 TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass
 COMMAND ISSUED
 FeatureClassToFeatureClass C:\temp\Rastplatz.shp D:\ArcIMS\Geodata\Access\ArcIMS.mdb
 Rastplatz # "AREA AREA VISIBLE;CLASS TEXT CLASS TEXT VISIBLE;Ort Ort VISIBLE"
 SAME_AS_TEMPLATE SAME_AS_TEMPLATE # 0 D:\ArcIMS\Geodata\Access\ArcIMS.mdb\Rastplatz
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2008-10-16 09:14:31
 TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Conversion

Tools.tbx\FeatureClassToFeatureClass

COMMAND ISSUED

```

FeatureClassToFeatureClass
C:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Rastplatz "Database
Connections\SNP_MAIN_SNP_INFRA.sde" restarea # "AREA 'AREA' true true false 8 Double 0
0 ,First,#,C:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Rastplatz,AREA,-1,-
1;CLASS_TEXT 'CLASS_TEXT' true true false 25 Text 0
0 ,First,#,C:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Rastplatz,CLASS_TEXT,
1,-1;Ort 'Ort' true true false 50 Text 0
0 ,First,#,C:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Rastplatz,Ort,-1,-1"
# "Database Connections\SNP_MAIN_SNP_INFRA.sde\MAIN_SNP_INFRA.restarea"

```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-01 12:07:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField aussichtspunkte Typ "Aussichtspunkt" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-01 12:08:52

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField aussichtspunkte Name "Murtaröl" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-01 12:09:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField aussichtspunkte Name "Fuorcla Val dal Botsch" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-01 12:09:58

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField aussichtspunkte Name "Fuorcla Trupchun" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-01 12:10:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField aussichtspunkte Name "Fuorcla Val Sassa" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-01 12:10:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField aussichtspunkte Name "Munt la Schera" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-01 12:11:08

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField aussichtspunkte Name "Furocla Murter" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2017-03-01 12:11:28
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField aussichtspunkte Name "Alp Grimmels" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2017-03-01 12:11:46
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField aussichtspunkte Name "Mot Tavrü" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2017-03-01 12:12:15
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField aussichtspunkte Name "Sur il Foss" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2017-03-01 12:12:37
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField aussichtspunkte Name "Margunet" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2017-03-01 12:13:07
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField aussichtspunkte Name "Munt Baselgia" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2017-03-01 12:13:30
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField aussichtspunkte Name "Piz Quattervals" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTOR ►

AVAILABLE FORMAT

* NAME SDE Feature Class

TRANSFER OPTIONS

ONLINE SOURCE

- * LOCATION Server=192.168.1.211; Service=5153; User=main_snp_infra; Version=SDE.DEFAULT
- * ACCESS PROTOCOL ArcSDE Connection
- * DESCRIPTION Downloadable Data

[Hide Distributor ▲](#)

DISTRIBUTION FORMAT

- * NAME File Geodatabase Feature Class

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT aussichtspunkte ►

- * TYPE Feature Class
- * ROW COUNT 12

FIELD OBJECTID ►

- * ALIAS OBJECTID
- * DATA TYPE OID
- * WIDTH 4
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Internal feature number.

- * DESCRIPTION SOURCE
ESRI

- * DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD CLASS_TEXT ►

- * ALIAS CLASS_TEXT
- * DATA TYPE String
- * WIDTH 25
- * PRECISION 0
- * SCALE 0

[Hide Field CLASS_TEXT ▲](#)

FIELD SHAPE ►

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.

- * DESCRIPTION SOURCE
ESRI

- * DESCRIPTION OF VALUES
Coordinates defining the features.

[Hide Field SHAPE ▲](#)

FIELD RuleID ▶

- * ALIAS RuleID
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 0
- * SCALE 0

[Hide Field RuleID](#) ▲**FIELD Name** ▶

- * ALIAS Name
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field Name](#) ▲**FIELD Typ** ▶

- * ALIAS Typ
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field Typ](#) ▲[Hide Details for object aussichtspunkte](#) ▲[Hide Fields](#) ▲**Metadata Details** ▶

- * METADATA LANGUAGE German (SWITZERLAND)
- * METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
 SCOPE NAME * dataset

* LAST UPDATE 2017-06-01

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
 METADATA STYLE FGDC CSDGM Metadata
 STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2017-03-01 12:06:24
 LAST MODIFIED IN ARCGIS FOR THE ITEM 2017-06-01 13:55:34

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
 LAST UPDATE 2017-06-01 13:55:34

[Hide Metadata Details](#) ▲**Thumbnail and Enclosures** ▶

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures](#) ▲**FGDC Metadata (read-only)** ▼