


restareas

File Geodatabase Feature Class



Tags

Restarea, Rastplatz, Wanderwege, Trails, Swiss National Park

Summary

Restareas in the Swiss National Park, updated in 2017

Description

Restareas in the Swiss National Park

The following restareas have been deleted in 2017: P5, Fuorcla Trupchun, Fuorcla Val Sassa, Plan Pra Spöl, Fuorcla Val dal Botsch, Sur il Foss

Credits

There are no credits for this item.

Use limitations

There are no access and use limitations for this item.

Extent

West 10.072902 **East** 10.306633
North 46.730637 **South** 46.578896

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* **CONTENT TYPE** Downloadable Data

Hide Topics and Keywords ▲

Citation ►

* **TITLE** restareas

PRESENTATION FORMATS * digital map

Hide Citation ▲

Resource Details ►

DATASET LANGUAGES * German (SWITZERLAND)

SPATIAL REPRESENTATION TYPE * vector

* **PROCESSING ENVIRONMENT** Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS

10.3.1.5004

ARCGIS ITEM PROPERTIES

- * NAME restareas
- * LOCATION file:///\\marmota\Data\maindata\snp\infra\gis_pub\infrastructure.gdb
- * ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

- EXTENT TYPE Extent used for searching
- * WEST LONGITUDE 10.072902
- * EAST LONGITUDE 10.306633
- * NORTH LATITUDE 46.730637
- * SOUTH LATITUDE 46.578896
- * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

- * WEST LONGITUDE 2801769.015400
- * EAST LONGITUDE 2819098.100400
- * SOUTH LATITUDE 1162477.974500
- * NORTH LATITUDE 1178746.798400
- * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_CH1903+
- * PROJECTION CH1903+_LV95
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

- WELL-KNOWN IDENTIFIER 2056
- X ORIGIN -27386400
- Y ORIGIN -32067900
- XY SCALE 10000
- Z ORIGIN 0
- Z SCALE 1
- M ORIGIN 0
- M SCALE 1
- XY TOLERANCE 0.001
- Z TOLERANCE 0.001
- M TOLERANCE 0.001
- HIGH PRECISION true
- LATEST WELL-KNOWN IDENTIFIER 2056
- WELL-KNOWN TEXT PROJCS["CH1903+_LV95",GEOGCS["GCS_CH1903+",DATUM["D_CH1903+",SPHEROID["Bessel_1841",6377397.155,299.1528128]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Hotine_Oblique_Mercator_Azimuth_Center"],PARAMETER["False_Easting",2600000.0],PARAMETER["False_Northing",1200000.0],PARAMETER["Scale_Factor",1.0],PARAMETER["Azimuth",90.0],PARAMETER["Longitude_Of_Center",7.43958333333333],PARAMETER["Latitude_Of_Center",46.9524055555556],UNIT["Meter",1.0],AUTHORITY["EPSG",2056]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 2056
- * CODESPACE EPSG
- * VERSION 8.6.2

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME restareas
 * OBJECT TYPE point
 * OBJECT COUNT 18

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME restareas
 * FEATURE TYPE Simple
 * GEOMETRY TYPE Point
 * HAS TOPOLOGY FALSE
 * FEATURE COUNT 18
 * SPATIAL INDEX TRUE
 * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME Create Feature Class
 DATE 2007-06-14 15:14:15
 TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreateFeatureclass

COMMAND ISSUED

```
CreateFeatureclass D:\ArcIMS\Geodata\Access\ArcIMS.mdb Rastplatz # Rastplatz_Layer
SAME AS TEMPLATE SAME AS TEMPLATE "PROJCS
['Bessel_1841_Hotine_Oblique_Mercator_Azimuth_Natural_Origin',GEOGCS
['GCS_Bessel_1841',DATUM['D_Bessel_1841',SPHEROID
['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION
['Hotine_Oblique_Mercator_Azimuth_Natural_Origin'],PARAMETER['False_Easting',-
9419823.847],PARAMETER['False_Northing',199976.188],PARAMETER
['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
['Longitude_Of_Center',7.4395375],PARAMETER
['Latitude_Of_Center',46.95219166666666],UNIT['Meter',1.0]];776072.797950663
136270.628725928 31249.9999708962;0 100000;0 100000" # 0 0 0
D:\ArcIMS\Geodata\Access\ArcIMS.mdb\Rastplatz
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Append
 DATE 2007-06-14 15:14:16
 TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

```
Append Rastplatz_Layer D:\ArcIMS\Geodata\Access\ArcIMS.mdb\Rastplatz TEST
D:\ArcIMS\Geodata\Access\ArcIMS.mdb\Rastplatz
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME FeatureClassToFeatureClass_1
 DATE 2007-06-14 15:14:16
 TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass

COMMAND ISSUED

```
FeatureClassToFeatureClass C:\temp\Rastplatz.shp D:\ArcIMS\Geodata\Access\ArcIMS.mdb
Rastplatz # "AREA AREA_VISIBLE;CLASS_TEXT CLASS_TEXT_VISIBLE;Ort Ort_VISIBLE"
SAME_AS_TEMPLATE SAME_AS_TEMPLATE # 0 D:\ArcIMS\Geodata\Access\ArcIMS.mdb\Rastplatz
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2008-11-24 14:32:59

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass

COMMAND ISSUED

```
FeatureClassToFeatureClass
C:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Rastplatz
Q:\maindata\snp\gis_infra rastplatz.shp # "AREA 'AREA' true true false 8 Double 0
0 ,First,#,C:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Rastplatz,AREA,-1,-
1;CLASS_TEXT 'CLASS TEXT' true true false 25 Text 0
0 ,First,#,C:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Rastplatz,CLASS_TEXT,
1,-1;Ort 'Ort' true true false 50 Text 0
0 ,First,#,C:\ArcIMS\Geodata\Interaktive_Karte\Access\ArcIMS.mdb\Rastplatz,Ort,-1,-1"
# Q:\maindata\snp\gis_infra\rastplatz.shp
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2009-09-03 16:46:22

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

```
CopyFeatures Q:\maindata\snp\infra\rastplatz.shp
Q:\maindata\snp\infra\gis_pub\infrastructure.gdb\rastplatz # 0 0 0
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-10-10 15:44:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\Project

COMMAND ISSUED

```
Project rastplatz C:\Users\mrapp\Documents\ArcGIS\Default.gdb\rastplatz_Project PROJCS
['CH1903+_LV95',GEOGCS['GCS_CH1903+',DATUM['D_CH1903+',SPHEROID
['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION
['Hotine_Oblique_Mercator_Azimuth_Center'],PARAMETER
['False_Easting',2600000.0],PARAMETER['False_Northing',1200000.0],PARAMETER
['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
['Longitude_Of_Center',7.439583333333333],PARAMETER
['Latitude_Of_Center',46.95240555555556],UNIT['Meter',1.0]] CH1903_To_CH1903+_1_NTV2
PROJCS['CH1903+_LV03',GEOGCS['GCS_CH1903',DATUM['D_CH1903',SPHEROID
['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION
['Hotine_Oblique_Mercator_Azimuth_Center'],PARAMETER
['False_Easting',600000.0],PARAMETER['False_Northing',200000.0],PARAMETER
['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
['Longitude_Of_Center',7.439583333333333],PARAMETER
['Latitude_Of_Center',46.95240555555556],UNIT['Meter',1.0]]
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTOR ►

AVAILABLE FORMAT

* NAME File Geodatabase Feature Class

TRANSFER OPTIONS

* TRANSFER SIZE 0.000

ONLINE SOURCE

* LOCATION file:///\\marmota\GisData\maindata\snp\infra\gis_pub\infrastructure.gdb
 * ACCESS PROTOCOL Local Area Network
 * DESCRIPTION Downloadable Data

[Hide Distributor ▲](#)

DISTRIBUTION FORMAT

* NAME File Geodatabase Feature Class

[Hide Distribution ▲](#)**Fields ▶**

DETAILS FOR OBJECT restareas ▶

- * TYPE Feature Class
- * ROW COUNT 18

FIELD OBJECTID ▶

- * ALIAS OBJECTID
- * DATA TYPE OID
- * WIDTH 4
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Internal feature number.
- * DESCRIPTION SOURCE
ESRI
- * DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD Shape ▶

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.
- * DESCRIPTION SOURCE
ESRI
- * DESCRIPTION OF VALUES
Coordinates defining the features.

[Hide Field Shape ▲](#)

FIELD CLASS_TEXT ▶

- * ALIAS CLASS_TEXT
- * DATA TYPE String
- * WIDTH 25
- * PRECISION 0
- * SCALE 0

[Hide Field CLASS_TEXT ▲](#)

FIELD Ort ▶

- * ALIAS Ort
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field Ort ▲](#)[Hide Details for object restareas ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

- * METADATA LANGUAGE German (SWITZERLAND)
- * METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
SCOPE NAME * dataset

* LAST UPDATE 2017-06-02

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
METADATA STYLE FGDC CSDGM Metadata
STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2017-06-02 09:50:54
LAST MODIFIED IN ARCGIS FOR THE ITEM 2017-06-02 11:23:17

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
LAST UPDATE 2017-06-02 11:21:12

[Hide Metadata Details ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL
THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼