


Gastronomie und Campingplätze

File Geodatabase Feature Class



Tags

Gastronomie, Restaurant, Gaststätte, Café, Campingplatz

Summary

Dieser Datensatz enthält die Restaurants, Cafés und Campingplätze rund um den Wildnispark Zürich. Verwendung für touristische Karten, sowie den Ausflugsplaner und die Angebotsdatenbank.

Description

Dieser Datensatz enthält die Restaurants, Cafés und Campingplätze rund um den Wildnispark Zürich. Verwendung für touristische Karten, sowie den Ausflugsplaner und die Angebotsdatenbank.

Dem Wildnispark bekannte Restaurants und Campingplätze wurden auf dem Orthophoto bzw. dem Übersichtsplan digitalisiert, wobei zusätzliche Informationen im Internet recherchiert wurden.

Credits

GIS Wildnispark Zürich

Use limitations

Keine.

ArcGIS Metadata ►

Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE society, structure

* CONTENT TYPE Downloadable Data

EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION No

Hide Topics and Keywords ▲

Citation ►

TITLE Gastronomie und Campingplätze

PRESENTATION FORMATS * digital map

Hide Citation ▲

Citation Contacts ►

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Ronald Schmidt

ORGANIZATION'S NAME Stiftung Wildnispark Zürich

CONTACT'S POSITION Geodatenmanagement

CONTACT INFORMATION ►

PHONE

VOICE + 41 44 7225522

FAX + 41 44 7225523

ADDRESS

TYPE both

DELIVERY POINT Alte Sihltalstrasse 38

CITY Sihlwald

POSTAL CODE CH-8135

COUNTRY CH

E-MAIL ADDRESS gis@wildnispark.ch

[Hide Contact information ▲](#)[Hide Citation Contacts ▲](#)**Resource Details** ►

DATASET LANGUAGES * German (SWITZERLAND)

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; ESRI ArcGIS 10.0.5.4400

CREDITS

GIS Wildnispark Zürich

ARCGIS ITEM PROPERTIES

* NAME GASTRONOMIE

* LOCATION file:///\\THINKPAD_RS\F\$\wpzdata\maindata\wpz\tour\gis_pub\tour.gdb

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)**Extents** ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE 8.503140

* EAST LONGITUDE 8.616975

* NORTH LATITUDE 47.310049

* SOUTH LATITUDE 47.210500

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 2680558.562167

* EAST LONGITUDE 2689017.805690

* SOUTH LATITUDE 1229357.069515

* NORTH LATITUDE 1240303.639672

* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Points of Contact ►

POINT OF CONTACT

INDIVIDUAL'S NAME Ronald Schmidt
 ORGANIZATION'S NAME Stiftung Wildnispark Zürich
 CONTACT'S POSITION Geodatenmanagement

CONTACT INFORMATION ►

PHONE

VOICE + 41 44 7225522
 FAX + 41 44 7225523

ADDRESS

TYPE both
 DELIVERY POINT Alte Sihltalstrasse 38
 CITY Sihlwald
 POSTAL CODE CH-8135
 COUNTRY CH
 E-MAIL ADDRESS gis@wildnispark.ch

Hide Contact information ▲

Hide Resource Points of Contact ▲

Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

Hide Resource Maintenance ▲

Resource Constraints ►

CONSTRAINTS

LIMITATIONS OF USE
 Keine.

Hide Resource Constraints ▲

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE Projected
 * GEOGRAPHIC COORDINATE REFERENCE GCS_CH1903+
 * PROJECTION CH1903+_LV95
 * COORDINATE REFERENCE DETAILS
 PROJECTED COORDINATE SYSTEM
 WELL-KNOWN IDENTIFIER 2056
 X ORIGIN -27386400
 Y ORIGIN -32067900
 XY SCALE 2000000
 Z ORIGIN -100000
 Z SCALE 2000000
 M ORIGIN -100000
 M SCALE 199999.99999999997
 XY TOLERANCE 9.999999999999995e-007
 Z TOLERANCE 9.999999999999995e-007
 M TOLERANCE 0.0001
 HIGH PRECISION true
 VCSWKID 5729

WELL-KNOWN TEXT PROJCS["CH1903+_LV95",GEOGCS["GCS_CH1903+",DATUM
 ["D_CH1903+",SPHEROID["Bessel_1841",6377397.155,299.1528128]],PRIMEM
 ["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION
 ["Hotine_Oblique_Mercator_Azimuth_Center"],PARAMETER
 ["False_Easting",2600000.0],PARAMETER["False_Northing",1200000.0],PARAMETER
 ["Scale_Factor",1.0],PARAMETER["Azimuth",90.0],PARAMETER
 ["Longitude_Of_Center",7.439583333333333],PARAMETER
 ["Latitude_Of_Center",46.95240555555556],UNIT["Meter",1.0]],VERTCS
 ["LHN95",VDATUM["Landeshohennetz_1995"],PARAMETER
 ["Vertical_Shift",0.0],PARAMETER["Direction",1.0],UNIT["Meter",1.0]]

REFERENCE SYSTEM IDENTIFIER

- *
- * CODESPACE EPSG
- * VERSION 7.4.1

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

- FEATURE CLASS NAME GASTRONOMIE
- * OBJECT TYPE point
 - * OBJECT COUNT 47

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

- * FEATURE TYPE Simple
- * GEOMETRY TYPE Point
- * HAS TOPOLOGY FALSE
- * FEATURE COUNT 47
- * SPATIAL INDEX TRUE
- * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Lineage ►

LINEAGE STATEMENT

Dem Wildnispark bekannte Restaurants und Campingplätze wurden auf dem Orthophoto bzw. dem Übersichtsplan digitalisiert, wobei zusätzliche Informationen im Internet recherchiert wurden.

[Hide Lineage ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME
 DATE 2009-03-16 17:31:06
 TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\CopyFeatures

COMMAND ISSUED

```
CopyFeatures F:\wpzdata\maindata\wpz\structure\gis_pub\structure.gdb\lv951
\gastronomie F:\wpzdata\maindata\wpz\structure\gis_pub\vorlage.gdb\lv95
\gastronomie # 0 0 0
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2009-06-25 11:22:14

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CopyFeatures

COMMAND ISSUED

```
CopyFeatures "C:\Dokumente und Einstellungen\Administrator\Eigene
Dateien\Studium\MasterArbeit\Data\wildnispark.gdb\lv95\gastronomie"
"C:\Dokumente und Einstellungen\Administrator\Eigene
Dateien\Studium\MasterArbeit\Data\wildnispark_lv95.gdb\gastronomie" # 0 0 0
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2009-08-18 23:44:25

TOOL LOCATION C:\Programme\ArcGIS\ArcToolbox\Toolboxes\Data Management
Tools.tbx\Project

COMMAND ISSUED

```
Project "C:\Dokumente und Einstellungen\Administrator\Eigene
Dateien\Studium\MasterArbeit\Data\wildnispark_lv95.gdb\gastronomie"
"C:\Dokumente und Einstellungen\Administrator\Eigene
Dateien\Studium\MasterArbeit\Data\wildnispark_lv03.gdb\gastronomie" PROJCS
['CH1903_LV03',GEOGCS['GCS_CH1903',DATUM['D_CH1903',SPHEROID
['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION
['Hotine_Oblique_Mercator_Azimuth_Center'],PARAMETER
['False_Easting',600000.0],PARAMETER['False_Northing',200000.0],PARAMETER
['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
['Longitude_Of_Center',7.439583333333333],PARAMETER
['Latitude_Of_Center',46.95240555555556],UNIT['Meter',1.0]] lv03tolv95
PROJCS['CH1903+_LV95',GEOGCS['GCS_CH1903+',DATUM['D_CH1903+',SPHEROID
['Bessel_1841',6377397.155,299.1528128]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION
['Hotine_Oblique_Mercator_Azimuth_Center'],PARAMETER
['False_Easting',2600000.0],PARAMETER['False_Northing',1200000.0],PARAMETER
['Scale_Factor',1.0],PARAMETER['Azimuth',90.0],PARAMETER
['Longitude_Of_Center',7.439583333333333],PARAMETER
['Latitude_Of_Center',46.95240555555556],UNIT['Meter',1.0]],VERTCS
['LHN95',VDATUM['Landeshohennetz_1995'],PARAMETER
['Vertical_Shift',0.0],PARAMETER['Direction',1.0],UNIT['Meter',1.0]]
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2009-11-09 18:44:15

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management
Tools.tbx\ApplySymbologyFromLayer

COMMAND ISSUED

```
ApplySymbologyFromLayer gastronomie_all gastronomie_wpz gastronomie_all
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2009-11-09 18:57:22

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management
Tools.tbx\ApplySymbologyFromLayer

COMMAND ISSUED

```
ApplySymbologyFromLayer gastronomie_zoomout gastronomie_wpz
```

gastronomie_zoomout
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2011-02-03 16:30:58
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie BEMERK "Überprüfen" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2011-03-16 09:01:24
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie BEMERK "ok" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2011-04-14 10:46:41
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie URL2 Null VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2011-04-14 10:47:39
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie URL Null VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2011-04-14 10:59:47
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie MAIL Null VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-04-26 15:47:20
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie VIS "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-04-26 15:47:36
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED

```
CalculateField gastronomie PU_NAME [TYP] VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2012-04-26 15:47:53  
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField gastronomie PU_TITEL [NAME] VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2012-04-26 15:48:59  
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField gastronomie MO_TEXT [NAME] VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2012-04-26 15:55:41  
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField gastronomie MAIL NULL VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2012-04-26 16:26:37  
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField gastronomie VIS "nein" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2012-04-26 16:27:37  
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField gastronomie VIS "ja" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2012-04-26 16:27:52  
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField gastronomie VIS "nein" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2012-04-26 18:21:49  
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED
```

CalculateField gastronomie OEFFZEIT [OEFF_ZEIT] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-05-03 10:35:16
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie FON NULL VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-05-03 10:35:27
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie FAX NULL VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-05-23 11:18:28
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie LINK_BILD "gastro_besucherzentrum.jpg" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-05-23 11:19:02
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie VIS "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-11-21 12:28:10
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie KAT_ADB "Restaurant / Tearoom / Café" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-11-21 12:29:02
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie KAT_ADB "Restaurant / Tearoom / Café, Laden" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-11-21 12:30:00
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField gastronomie KAT_ADB "Zeltplatz / Camping" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-11-21 12:30:52
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField gastronomie BEM_ADB "eventuell zusammenlegen" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-11-21 12:31:48
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField gastronomie BEM_ADB "eventuell zusammenlegen" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-11-21 15:09:07
 TOOL LOCATION c:\program files\arcgis\desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddXY
 COMMAND ISSUED
 AddXY gastronomie
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-11-21 15:19:08
 TOOL LOCATION c:\program files\arcgis\desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddXY
 COMMAND ISSUED
 AddXY gastronomie
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Add Field
 DATE 2012-11-21 15:38:07
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField
 COMMAND ISSUED
 AddField gastronomie XTEMP TEXT # # 10 # NULLABLE NON_REQUIRED #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Add Field (2)
 DATE 2012-11-21 15:38:08
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField
 COMMAND ISSUED
 AddField gastronomie YTEMP TEXT # # 10 # NULLABLE NON_REQUIRED #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Calculate Field
 DATE 2012-11-21 15:38:09
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED

```

CalculateField gastronomie XTEMP "Int ( [POINT_X] )" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME Calculate Field (2)
DATE 2012-11-21 15:38:10
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie YTEMP "Int ( [POINT_Y] )" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME Add Field (3)
DATE 2012-11-21 15:38:11
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AddField
COMMAND ISSUED
AddField gastronomie KOORD TEXT # # 20 # NULLABLE NON_REQUIRED #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME Calculate Field (3)
DATE 2012-11-21 15:38:12
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie KOORD "[XTEMP] +" "+" [YTEMP]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME Delete Field
DATE 2012-11-21 15:38:13
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx>DeleteField
COMMAND ISSUED
DeleteField gastronomie XTEMP;YTEMP
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2012-12-20 16:59:18
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField gastronomie INH NULL VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2012-12-20 17:08:46
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField GASTRONOMIE X_LV03 [POINT_X] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2012-12-20 17:09:01
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED

```

CalculateField GASTRONOMIE Y_LV03 [POINT_Y] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-12-20 17:09:35
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField GASTRONOMIE TMP "[KOORD]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-12-20 17:10:04
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField GASTRONOMIE KOORD [TMP] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-12-20 17:12:36
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField GASTRONOMIE DAR_PUB "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-12-20 17:12:43
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField GASTRONOMIE DAR_AFP "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-12-20 17:12:49
TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField GASTRONOMIE DAR_ADB "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-12-20 20:24:09
TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField GASTRONOMIE HNR NULL VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2012-12-20 20:24:28
TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField GASTRONOMIE HNR NULL VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-20 20:25:01
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField GASTRONOMIE STRASSE NULL VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-20 20:56:48
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField GASTRONOMIE HNR NULL VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-20 20:56:55
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField GASTRONOMIE MAIL NULL VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-20 21:06:31
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField GASTRONOMIE FAX NULL VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

Hide Geoprocessing history ▲

Distribution ►

DISTRIBUTOR ►

AVAILABLE FORMAT
 * NAME File Geodatabase Feature Class

TRANSFER OPTIONS

ONLINE SOURCE
 * LOCATION file:///CT48369\C\Data\wpz\wildnispark_lv03.gdb
 * ACCESS PROTOCOL Local Area Network
 * DESCRIPTION Downloadable Data

Hide Distributor ▲

DISTRIBUTION FORMAT

* NAME File Geodatabase Feature Class

Hide Distribution ▲

Fields ►

DETAILS FOR OBJECT **GASTRONOMIE** ▶

- * TYPE Feature Class
- * ROW COUNT 47

FIELD **OBJECTID** ▶

- * ALIAS OBJECTID
- * DATA TYPE OID
- * WIDTH 4
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Internal feature number.
- * DESCRIPTION SOURCE
ESRI
- * DESCRIPTION OF VALUES Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD **SHAPE** ▶

- * ALIAS SHAPE
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.
- * DESCRIPTION SOURCE
ESRI
- * DESCRIPTION OF VALUES Coordinates defining the features.

Hide Field SHAPE ▲

FIELD **GA_ID** ▶

- * ALIAS GA_ID
- * DATA TYPE SmallInteger
- * WIDTH 2
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Eindeutige ID-Nummer
1000er = Restaurants
2000er = Cafés
3000er = Campinplätze

Hide Field GA_ID ▲

FIELD **TYP** ▶

- * ALIAS TYP
- * DATA TYPE String
- * WIDTH 30
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Typ des Betriebs: Restaurant, Cafe, Campingplatz

Hide Field TYP ▲

FIELD NAME ▶

- * ALIAS NAME
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Name des Betriebs

[Hide Field NAME ▲](#)

FIELD INH ▶

- * ALIAS INH
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Inhaber (sofern bekannt)

[Hide Field INH ▲](#)

FIELD ORT ▶

- * ALIAS ORT
- * DATA TYPE String
- * WIDTH 60
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Adresse: Ort

[Hide Field ORT ▲](#)

FIELD PLZ ▶

- * ALIAS PLZ
- * DATA TYPE SmallInteger
- * WIDTH 2
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Adresse: Postleitzahl

[Hide Field PLZ ▲](#)

FIELD STRASSE ▶

- * ALIAS STRASSE
- * DATA TYPE String
- * WIDTH 60
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Adresse: Strasse

[Hide Field STRASSE ▲](#)

FIELD HNR ▶

- * ALIAS HNR

* DATA TYPE String
* WIDTH 10
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Adresse: Hausnummer

[Hide Field HNR ▲](#)

FIELD FON ►
* ALIAS PHONE
* DATA TYPE String
* WIDTH 20
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Adresse: Telefonnummer

[Hide Field FON ▲](#)

FIELD FAX ►
* ALIAS FAX
* DATA TYPE String
* WIDTH 20
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Adresse: Telefax

[Hide Field FAX ▲](#)

FIELD MAIL ►
* ALIAS MAIL
* DATA TYPE String
* WIDTH 60
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Adresse: Emal-Adresse

[Hide Field MAIL ▲](#)

FIELD URL ►
* ALIAS URL
* DATA TYPE String
* WIDTH 255
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Internet-Link

[Hide Field URL ▲](#)

FIELD URL2 ►
* ALIAS URL2
* DATA TYPE String
* WIDTH 255
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION
Zusätzlicher Internet-Link

[Hide Field URL2 ▲](#)

FIELD BEMERK ▶

- * ALIAS BEMERK
- * DATA TYPE String
- * WIDTH 255
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION
Bemerkung

[Hide Field BEMERK ▲](#)

FIELD VIS_ZOOMIN ▶

- * ALIAS VIS_ZOOMIN
- * DATA TYPE String
- * WIDTH 10
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Steuerung der Sichtbarkeit beim Reinzoomen

[Hide Field VIS_ZOOMIN ▲](#)

FIELD VIS_ZOOMOUT ▶

- * ALIAS VIS_ZOOMOUT
- * DATA TYPE String
- * WIDTH 10
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Steuerung der Sichtbarkeit beim Rauszoomen

[Hide Field VIS_ZOOMOUT ▲](#)

FIELD VIS ▶

- * ALIAS VIS
- * DATA TYPE String
- * WIDTH 10
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Steuerung der generellen Sichtbarkeit

[Hide Field VIS ▲](#)

FIELD MO_TEXT ▶

- * ALIAS MO_TEXT
- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Text für das Mouse Over

[Hide Field MO_TEXT ▲](#)

FIELD PU_NAME ►

- * ALIAS PU_NAME
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Name des Pop Ups (Text im Pop Up-Balken)

Hide Field PU_NAME ▲

FIELD PU_TITEL ►

- * ALIAS PU_TITEL
- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Pop Up Titel

Hide Field PU_TITEL ▲

FIELD PU_TEXT ►

- * ALIAS PU_TEXT
- * DATA TYPE String
- * WIDTH 5000
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Möglichkeit für Text im Pop Up

Hide Field PU_TEXT ▲

FIELD LINK_BILD ►

- * ALIAS LINK_BILD
- * DATA TYPE String
- * WIDTH 250
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Weblink auf ein Bild

Hide Field LINK_BILD ▲

FIELD LEG_BILD ►

- * ALIAS LEG_BILD
- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Legendentext zum Bild

Hide Field LEG_BILD ▲

FIELD OEFFZEIT ►

- * ALIAS OEFFZEIT

* DATA TYPE String
* WIDTH 500
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Ausflugspaner: Öffnungszeiten

Hide Field OEFFZEIT ▲

FIELD X_LV03 ►
* ALIAS X_LV03
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
X-Koordinate im Koordinatensystem CH1903_LV03

Hide Field X_LV03 ▲

FIELD Y_LV03 ►
* ALIAS Y_LV03
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Y-Koordinate im Koordinatensystem CH1903_LV03

Hide Field Y_LV03 ▲

FIELD KOORD ►
* ALIAS KOORD
* DATA TYPE String
* WIDTH 25
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Angebotsdatenbank: Koordinaten ohne Nachkommastellen und
Leerzeichengetrennt für die Angebotsdatenbank

Hide Field KOORD ▲

FIELD DAR_PUB ►
* ALIAS DAR_PUB
* DATA TYPE String
* WIDTH 10
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Gibt an, ob der Gastronomiebetrieb in touristischen Karten für die Öffentlichkeit
dargestellt wird.

Hide Field DAR_PUB ▲

FIELD DAR_AFP ►
* ALIAS DAR_AFP
* DATA TYPE String
* WIDTH 10

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Gibt an, ob der Gastronomiebetrieb im Ausflugsplaner dargestellt wird.

[Hide Field DAR_AFP ▲](#)

FIELD [DAR_ADB ▶](#)

* ALIAS DAR_ADB

* DATA TYPE String

* WIDTH 10

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Gibt an, ob der Gastronomiebetrieb in der Angebotsdatenbak dargestellt wird.

[Hide Field DAR_ADB ▲](#)

[Hide Details for object GASTRONOMIE ▲](#)

[Hide Fields ▲](#)

Metadata Details ▶

* METADATA LANGUAGE German (SWITZERLAND)

* METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset

SCOPE NAME * dataset

* LAST UPDATE 2012-12-21

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE FGDC CSDGM Metadata

STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2012-12-20 17:03:01

LAST MODIFIED IN ARCGIS FOR THE ITEM 2012-12-21 15:55:00

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2012-12-21 15:55:00

[Hide Metadata Details ▲](#)

Metadata Contacts ▶

METADATA CONTACT

INDIVIDUAL'S NAME Ronald Schmidt

ORGANIZATION'S NAME Stiftung Wildnispark Zürich

CONTACT'S POSITION Geodatenmanagement

CONTACT INFORMATION ▶

PHONE

VOICE + 41 44 7225522

FAX + 41 44 7225523

ADDRESS

TYPE both

DELIVERY POINT Alte Sihltalstrasse 38

CITY Sihlwald

POSTAL CODE CH-8135

COUNTRY CH

E-MAIL ADDRESS gis@wildnispark.ch

Hide Contact information ▲

Hide Metadata Contacts ▲

Metadata Maintenance ►

MAINTENANCE

UPDATE FREQUENCY as needed

Hide Metadata Maintenance ▲

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

Hide Thumbnail and Enclosures ▲

FGDC Metadata (read-only) ▼