


Infopoints (Besucherzentrum, Erlebniswelten, Spielplätze, Historische Orte)

File Geodatabase Feature Class



Tags

Besucherzentrum, Erlebniswelten, Spielplätze, Historische Orte

Summary

Dieser Datensatz enthält weitere touristische Points of Interest (Besucherzentrum, Erlebniswelten, Spielplätze, Historische Orte) für touristische Karten, den Ausflugsplaner und die Angebotsdatenbank.

Description

Dieser Datensatz enthält weitere touristische Points of Interest (Besucherzentrum, Erlebniswelten, Spielplätze, Historische Orte) für touristische Karten, den Ausflugsplaner und die Angebotsdatenbank.

Die Punkte wurden ursprünglich auf dem Übersichtstplan bzw. auf dem Orthophoto digitalisiert und dann mit allen benötigten Attributen versehen. Für den Ausflugsplaner wurden die Geometrien leicht angepasst, so dass sich die Symbole möglichst wenig überlagern. Aus diesem Datensatz (Stand 12/2012) wurde dann der hier vorliegende Datensatz abgeleitet und die Geometrien noch verbessert. Die verbesserten Geometrien wurden dann auch für die Angebotsdatenbank verwendet.

Die Kategorisierung erfolgt anhand des Attributes "PU_NAME".

Credits

GIS Wildnispark Zürich

Use limitations

Da der Datensatz auch POIs enthält, die nur provisorisch sind, sollten für öffentliche Darstellungen nur diejenigen Punkte mit dem Attribut DAR_PUB = 'ja' verwendet werden.

ArcGIS Metadata ►

Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE structure, society

* CONTENT TYPE Downloadable Data

EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION No

[Hide Topics and Keywords ▲](#)

Citation ►

TITLE Infopoints (Besucherzentrum, Erlebniswelten, Spielplätze, Historische Orte)

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Citation Contacts ►

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Ronald Schmidt
 ORGANIZATION'S NAME Stiftung Wildnispark Zürich
 CONTACT'S POSITION Geodatenmanagement

CONTACT INFORMATION ►

PHONE

VOICE + 41 44 7225522
 FAX + 41 44 7225523

ADDRESS

TYPE both
 DELIVERY POINT Alte Sihlthalstrasse 38
 CITY Sihlwald
 POSTAL CODE CH-8135
 COUNTRY CH
 E-MAIL ADDRESS gis@wildnispark.ch

[Hide Contact information ▲](#)[Hide Citation Contacts ▲](#)

Resource Details ►

DATASET LANGUAGES * (SWITZERLAND)
 DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; ESRI ArcGIS 10.0.5.4400

CREDITS

GIS Wildnispark Zürich

ARCGIS ITEM PROPERTIES

* NAME INFOPOINTS
 * LOCATION file:///\\THINKPAD_RS\F\$\\wpzdata\\maindata\\wpz\\tour\\gis_pub\\tour.gdb
 * ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching
 * WEST LONGITUDE 8.511474
 * EAST LONGITUDE 8.563095
 * NORTH LATITUDE 47.297628
 * SOUTH LATITUDE 47.261747
 * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 2681112.802504

* EAST LONGITUDE 2684963.216731
 * SOUTH LATITUDE 1234995.110190
 * NORTH LATITUDE 1238930.294226
 * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Points of Contact ►

POINT OF CONTACT

INDIVIDUAL'S NAME Ronald Schmidt
 ORGANIZATION'S NAME Stiftung Wildnispark Zürich
 CONTACT'S POSITION Geodatenmanagement

CONTACT INFORMATION ►

PHONE

VOICE + 41 44 7225522
 FAX + 41 44 7225523

ADDRESS

TYPE both
 DELIVERY POINT Alte Sihltalstrasse 38
 CITY Sihlwald
 POSTAL CODE CH-8135
 COUNTRY CH
 E-MAIL ADDRESS gis@wildnispark.ch

[Hide Contact information ▲](#)

[Hide Resource Points of Contact ▲](#)

Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Resource Maintenance ▲](#)

Resource Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

Da der Datensatz auch POIs enthält, die nur provisorisch sind, sollten für öffentliche Darstellungen nur diejenigen Punkte mit dem Attribut DAR_PUB = 'ja' verwendet werden.

[Hide Resource Constraints ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE Projected
 * GEOGRAPHIC COORDINATE REFERENCE GCS_CH1903+
 * PROJECTION CH1903+_LV95
 * COORDINATE REFERENCE DETAILS
 PROJECTED COORDINATE SYSTEM
 WELL-KNOWN IDENTIFIER 2056
 X ORIGIN -27386400
 Y ORIGIN -32067900
 XY SCALE 2000000

```

Z ORIGIN -100000
Z SCALE 2000000
M ORIGIN -100000
M SCALE 10000
XY TOLERANCE 9.9999999999999995e-007
Z TOLERANCE 9.9999999999999995e-007
M TOLERANCE 0.0001
HIGH PRECISION true
VCSWKID 5729
WELL-KNOWN TEXT PROJCS["CH1903+_LV95",GEOGCS["GCS_CH1903+",DATUM
["D_CH1903+",SPHEROID["Bessel_1841",6377397.155,299.1528128]],PRIMEM
["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION
["Hotine_Oblique_Mercator_Azimuth_Center"],PARAMETER
["False_Easting",2600000.0],PARAMETER["False_Northing",1200000.0],PARAMETER
["Scale_Factor",1.0],PARAMETER["Azimuth",90.0],PARAMETER
["Longitude_Of_Center",7.439583333333333],PARAMETER
["Latitude_Of_Center",46.95240555555556],UNIT["Meter",1.0]],VERTCS
["LHN95",VDATUM["Landeshohennetz_1995"],PARAMETER
["Vertical_Shift",0.0],PARAMETER["Direction",1.0],UNIT["Meter",1.0]]

```

REFERENCE SYSTEM IDENTIFIER

```

* VALUE 2056
* CODESPACE EPSG
* VERSION 7.4.1

```

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

```

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

```

GEOMETRIC OBJECTS

FEATURE CLASS NAME INFOPOINTS

```

* OBJECT TYPE point
* OBJECT COUNT 21

```

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

```

* FEATURE TYPE Simple
* GEOMETRY TYPE Point
* HAS TOPOLOGY FALSE
* FEATURE COUNT 21
* SPATIAL INDEX TRUE
* LINEAR REFERENCING FALSE

```

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Lineage ►

LINEAGE STATEMENT

Die Punkte wurden ursprünglich auf dem Übersichtstplan bzw. auf dem Orthophoto digitalisiert und dann mit allen benötigten Attributen versehen. Für den Ausflugsplaner wurden die Geometrien leicht angepasst, so dass sich die Symbole möglichst wenig überlagern. Aus diesem Datensatz (Stand 12/2012) wurde dann der hier vorliegende Datensatz abgeleitet und die Geometrien noch verbessert. Die verbesserten

Geometrien wurden dann auch für die Angebotsdatenbank verwendet.

[Hide Lineage](#) ▲

Geoprocessing history ►

PROCESS

PROCESS NAME Add Field
 DATE 2012-04-26 18:25:54
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField
 COMMAND ISSUED
 AddField infopoints VISA TEXT # # 10 # NULLABLE NON_REQUIRED #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Add Field (2)
 DATE 2012-04-26 18:25:55
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField
 COMMAND ISSUED
 AddField infopoints MO_TEXT TEXT # # 100 # NULLABLE NON_REQUIRED #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Add Field (3)
 DATE 2012-04-26 18:25:57
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField
 COMMAND ISSUED
 AddField infopoints PU_NAME TEXT # # 50 # NULLABLE NON_REQUIRED #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Add Field (4)
 DATE 2012-04-26 18:25:58
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField
 COMMAND ISSUED
 AddField infopoints PU_TITEL TEXT # # 100 # NULLABLE NON_REQUIRED #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Add Field (5)
 DATE 2012-04-26 18:25:59
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField
 COMMAND ISSUED
 AddField infopoints PU_TEXT TEXT # # 5000 # NULLABLE NON_REQUIRED #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Add Field (6)
 DATE 2012-04-26 18:26:00
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField
 COMMAND ISSUED
 AddField infopoints LINK_BILD TEXT # # 250 # NULLABLE NON_REQUIRED #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Add Field (7)

DATE 2012-04-26 18:26:02

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField

COMMAND ISSUED

AddField infopoints LEG_BILD TEXT # # 100 # NULLABLE NON_REQUIRED #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Add Field (8)

DATE 2012-04-26 18:26:03

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField

COMMAND ISSUED

AddField infopoints LINK_PDF TEXT # # 250 # NULLABLE NON_REQUIRED #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-04-26 18:34:49

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField infopoints TYP "Erlebnis" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-04-26 18:59:31

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField infopoints TYP "Spielplatz" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-04-26 19:01:00

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField infopoints Name [PU_TITEL] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-05-02 10:16:21

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField infopoints TYP "Ranger-Info zum Sihlwald" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-05-02 10:24:13

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField infopoints Name [PU_TITEL] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-05-02 10:31:05

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField infopoints VIS "nein" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-05-02 18:26:41

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField infopoints InfoPoint_ID "[OBJECTID] -5" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-05-03 10:21:10

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField infopoints FON [PHONE] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-05-03 11:16:36

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField infopoints TEMP [Name] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-12-21 14:42:55

TOOL LOCATION C:\Program Files (x86)\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures C:\Data\wpz\wildnisspark_lv03.gdb\infopoints
C:\Data\wpz\export.gdb\infopoints # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-12-21 14:52:13

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField ERLEBNISWELTEN DAR_PUB "ja" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-12-21 14:52:18

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField ERLEBNISWELTEN DAR_AFP "ja" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 14:52:22
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN DAR_ADB "ja" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 14:52:58
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN DAR_ADB "nein" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 14:55:06
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN DAR_PUB "Int ([Y_LV03])" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 14:55:14
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN KOORD "Int ([X_LV03])" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 14:55:45
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN DAR_PUB "Int ([Y_LV03])" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 14:56:05
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN KOORD "[KOORD] +" " + [DAR_PUB]" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 14:56:14
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN DAR_PUB "ja" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 15:15:36
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN DAR_PUB "Int ([Y_LV03])" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 15:15:58
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN KOORD "Int ([X_LV03])" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 15:16:20
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN KOORD "[KOORD] +" "+" [DAR_PUB]" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 15:16:31
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN DAR_PUB "nein" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 15:16:44
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN DAR_PUB "ja" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 15:23:28
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN KOORD "Int ([X_LV03])" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2012-12-21 15:23:42
 TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
 Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField ERLEBNISWELTEN DAR_PUB "Int ([Y_LV03])" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-12-21 15:24:02

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField ERLEBNISWELTEN KOORD "[KOORD]+" "+" [DAR_PUB]" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-12-21 15:24:10

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField ERLEBNISWELTEN DAR_PUB "ja" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-12-21 15:24:26

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField ERLEBNISWELTEN DAR_PUB "nein" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

*Hide Geoprocessing history ▲***Distribution ►**

DISTRIBUTION FORMAT

* NAME File Geodatabase Feature Class

*Hide Distribution ▲***Fields ►**

DETAILS FOR OBJECT INFOPOINTS ►

* TYPE Feature Class

* ROW COUNT 21

FIELD OBJECTID ►

* ALIAS OBJECTID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

ESRI

* DESCRIPTION OF VALUES Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD SHAPE ►

* ALIAS SHAPE

* DATA TYPE Geometry

- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.
- * DESCRIPTION SOURCE
ESRI
- * DESCRIPTION OF VALUES Coordinates defining the features.

Hide Field SHAPE ▲

FIELD TYP ►

- * ALIAS TYP
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Typ des touristischen POI

Hide Field TYP ▲

FIELD VIS ►

- * ALIAS VIS
- * DATA TYPE String
- * WIDTH 10
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Steuerung der generellen Sichtbarkeit im Ausflugsplaner

Hide Field VIS ▲

FIELD InfoPoint_ID ►

- * ALIAS InfoPoint_ID
- * DATA TYPE SmallInteger
- * WIDTH 2
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Eindeutige ID des touristischen POI

Hide Field InfoPoint_ID ▲

FIELD MO_TEXT ►

- * ALIAS MO_TEXT
- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Ausflugsplaner: sichtbarer Text im Mouse Over

Hide Field MO_TEXT ▲

FIELD PU_NAME ►

- * ALIAS PU_NAME

* DATA TYPE String
 * WIDTH 50
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Name im Rahmen des Pop Ups

Hide Field PU_NAME ▲

FIELD PU_TITEL ►

* ALIAS PU_TITEL
 * DATA TYPE String
 * WIDTH 100
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Titel im Pop Up

Hide Field PU_TITEL ▲

FIELD PU_TEXT ►

* ALIAS PU_TEXT
 * DATA TYPE String
 * WIDTH 5000
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Text im Pop Up

Hide Field PU_TEXT ▲

FIELD LINK_BILD ►

* ALIAS LINK_BILD
 * DATA TYPE String
 * WIDTH 250
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Internetlink zum Bild

Hide Field LINK_BILD ▲

FIELD LEG_BILD ►

* ALIAS LEG_BILD
 * DATA TYPE String
 * WIDTH 100
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Legendentext für Bild

Hide Field LEG_BILD ▲

FIELD LINK_PDF ►

* ALIAS LINK_PDF
 * DATA TYPE String
 * WIDTH 250
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Internetlink zu einem PDF

[Hide Field LINK_PDF ▲](#)

FIELD URL ►

- * ALIAS URL
- * DATA TYPE String
- * WIDTH 200
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Internetlink auf Website

[Hide Field URL ▲](#)

FIELD OEFFZEIT ►

- * ALIAS OEFFZEIT
- * DATA TYPE String
- * WIDTH 500
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Text zu Öffnungszeiten

[Hide Field OEFFZEIT ▲](#)

FIELD BEMERK ►

- * ALIAS BEMERK
- * DATA TYPE String
- * WIDTH 500
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: weitere Informationen und Bemerkungen

[Hide Field BEMERK ▲](#)

FIELD ORT ►

- * ALIAS ORT
- * DATA TYPE String
- * WIDTH 60
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Adresse: Ort

[Hide Field ORT ▲](#)

FIELD PLZ ►

- * ALIAS PLZ
- * DATA TYPE SmallInteger
- * WIDTH 2
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Adresse: Postleitzahl

[Hide Field PLZ ▲](#)

FIELD STRASSE ►

- * ALIAS STRASSE
- * DATA TYPE String
- * WIDTH 60
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Adresse: Strasse

Hide Field STRASSE ▲

FIELD HNR ►

- * ALIAS HNR
- * DATA TYPE String
- * WIDTH 10
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Adresse: Hausnummer

Hide Field HNR ▲

FIELD MAIL ►

- * ALIAS MAIL
- * DATA TYPE String
- * WIDTH 60
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Adresse: Email-Adresse

Hide Field MAIL ▲

FIELD FON ►

- * ALIAS FON
- * DATA TYPE String
- * WIDTH 20
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Adresse: Telefonnummer

Hide Field FON ▲

FIELD hasWegSpez ►

- * ALIAS hasWegSpez
- * DATA TYPE String
- * WIDTH 10
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Gibt an, ob mit dem POI im Ausflugsplaner noch eine Linie verknüpft ist

Hide Field hasWegSpez ▲

FIELD DAR_PUB ►

- * ALIAS DAR_PUB

* DATA TYPE String
 * WIDTH 10
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Generelle Darstellung auf Karten für externe und öffentliche Zwecke

[Hide Field DAR_PUB ▲](#)

FIELD DAR_AFP ►

* ALIAS DAR_AFP
 * DATA TYPE String
 * WIDTH 10
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Ausflugsplaner: Darstellung im Ausflugsplaner

[Hide Field DAR_AFP ▲](#)

FIELD DAR_ADB ►

* ALIAS DAR_ADB
 * DATA TYPE String
 * WIDTH 10
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Darstellung in der Angebotsdatenbank

[Hide Field DAR_ADB ▲](#)

FIELD X_LV03 ►

* ALIAS X_LV03
 * DATA TYPE Double
 * WIDTH 8
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

X-Koordinate des Punktes in CH1903_LV03

[Hide Field X_LV03 ▲](#)

FIELD Y_LV03 ►

* ALIAS Y_LV03
 * DATA TYPE Double
 * WIDTH 8
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Y-Koordinate des Punktes in CH1903_LV03

[Hide Field Y_LV03 ▲](#)

FIELD KOORD ►

* ALIAS KOORD
 * DATA TYPE String
 * WIDTH 25
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

X- und Y- Koordinaten ohne Nachkommastellen mit Leerzeichen getrennt für die Koordinatenangabe im Ausflugsplaner

[Hide Field KOORD ▲](#)

[Hide Details for object INFOPOINTS ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

* METADATA LANGUAGE (SWITZERLAND)

METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset

SCOPE NAME * dataset

* LAST UPDATE 2012-12-21

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE FGDC CSDGM Metadata

STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2012-12-21 14:48:14

LAST MODIFIED IN ARCGIS FOR THE ITEM 2012-12-21 15:53:42

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2012-12-21 15:38:06

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME Ronald Schmidt

ORGANIZATION'S NAME Stiftung Wildnispark Zürich

CONTACT'S POSITION Geodatenmanagement

CONTACT INFORMATION ►

PHONE

VOICE + 41 44 7225522

FAX + 41 44 7225523

ADDRESS

TYPE both

DELIVERY POINT Alte Sihltalstrasse 38

CITY Sihlwald

POSTAL CODE CH-8135

COUNTRY CH

E-MAIL ADDRESS gis@wildnispark.ch

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Metadata Maintenance ►

MAINTENANCE

UPDATE FREQUENCY as needed

*Hide Metadata Maintenance ▲***Thumbnail and Enclosures ►**

THUMBNAIL

THUMBNAIL TYPE JPG

*Hide Thumbnail and Enclosures ▲***FGDC Metadata (read-only) ▼**