


Höhenlinien für Kartenmassstab 1:12'500

File Geodatabase Feature Class



Tags

Höhenlinien, Contourlinien

Summary

Höhenlinien mit Äquidistanz 5m für kartographische Darstellungen im Massstab 1:12'500, welche aus einem Laserscan DTM abgeleitet wurden.

Description

Höhenlinien mit Äquidistanz 5m für kartographische Darstellungen im Massstab 1:12'500. Ausgangsdatensatz: das Höhenmodell DTM_ELEVATION_2M_MOSA, hier handelt es sich um eine bilinear resampelte Version des DTM_ELEVATION_1M_MOSA, welches im Bereich WPZ aus dem Laserscan-DTM des WPZ von 2004 besteht und aussen herum mit dem DTM-AV ergänzt wurde.

Dokumentation der Erzeugung:

http://www.parcs.ch/wpz/mmd_fullentry.php?docu_id=32951

Credits

Ronald Schmidt, GIS Wildnispark Zürich 2016

Use limitations

Verwendbar für alle nichtkommerziellen Zwecke.

Extent

West 8.455774 East 8.630292
North 47.325724 South 47.189175

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE elevation

* CONTENT TYPE Downloadable Data
EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION No

[Hide Topics and Keywords ▲](#)

Citation ►

TITLE Höhenlinien für Kartenmassstab 1:12'500
CREATION DATE 2016-05-24 00:00:00
PUBLICATION DATE 2016-05-24 00:00:00
REVISION DATE 2016-05-24 00:00:00

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Citation Contacts ►

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Ronald Schmidt
 ORGANIZATION'S NAME Wildnisaprk Zürich
 CONTACT'S ROLE originator

CONTACT INFORMATION ▶

ADDRESS

TYPE both
 DELIVERY POINT Alte Sihltalstrasse 38
 CITY Sihlwald
 POSTAL CODE 8135
 COUNTRY CH
 E-MAIL ADDRESS gis@wildnispark.ch

[Hide Contact information ▲](#)

[Hide Citation Contacts ▲](#)

Resource Details ▶

DATASET LANGUAGES German (SWITZERLAND)
 DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows Vista Version 6.0 (Build 6002) Service Pack 2; Esri ArcGIS 10.2.2.3602

CREDITS

Ronald Schmidt, GIS Wildnispark Zürich 2016

ARCGIS ITEM PROPERTIES

* NAME contourlines_12500
 * LOCATION file://
 \\szh.loc\wpz\Wildnispark_Zuerich\Forschung\gis\maindata\wpz\topo\contourlines\gis_pub\contourlines_12500.gdb
 * ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ▶

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching
 * WEST LONGITUDE 8.455774
 * EAST LONGITUDE 8.630292
 * NORTH LATITUDE 47.325724
 * SOUTH LATITUDE 47.189175
 * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 2677001.000000
 * EAST LONGITUDE 2689999.008700
 * SOUTH LATITUDE 1227000.988300
 * NORTH LATITUDE 1241999.019600
 * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Points of Contact ▶

POINT OF CONTACT

INDIVIDUAL'S NAME Ronald Schmidt
 ORGANIZATION'S NAME Wildnisaprk Zürich
 CONTACT'S ROLE point of contact

CONTACT INFORMATION ▶

ADDRESS

TYPE both
 DELIVERY POINT Alte Sihltalstrasse 38
 CITY Sihlwald
 POSTAL CODE 8135
 COUNTRY CH
 E-MAIL ADDRESS gis@wildnispark.ch

[Hide Contact information ▲](#)[Hide Resource Points of Contact ▲](#)

Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Resource Maintenance ▲](#)

Resource Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

Verwendbar für alle nichtkommerziellen Zwecke.

[Hide Resource Constraints ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE Projected

* GEOGRAPHIC COORDINATE REFERENCE GCS_CH1903+

* PROJECTION CH1903+_LV95

* COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 2056

X ORIGIN -27386400

Y ORIGIN -32067900

XY SCALE 10000

Z ORIGIN -100000

Z SCALE 10000

M ORIGIN -100000

M SCALE 10000

XY TOLERANCE 0.001

Z TOLERANCE 0.001

M TOLERANCE 0.001

HIGH PRECISION true

LATEST WELL-KNOWN IDENTIFIER 2056

WELL-KNOWN TEXT PROJCS["CH1903+_LV95",GEOGCS["GCS_CH1903+",DATUM["D_CH1903+",SPHEROID

["Bessel_1841",6377397.155,299.1528128]],PRIMEM["Greenwich",0.0],UNIT

["Degree",0.0174532925199433]],PROJECTION["Hotine_Oblique_Mercator_Azimuth_Center"],PARAMETER

["False_Easting",2600000.0],PARAMETER["False_Northing",1200000.0],PARAMETER

["Scale_Factor",1.0],PARAMETER["Azimuth",90.0],PARAMETER

["Longitude_Of_Center",7.439583333333333],PARAMETER["Latitude_Of_Center",46.95240555555556],UNIT

["Meter",1.0],AUTHORITY["EPSG",2056]]

REFERENCE SYSTEM IDENTIFIER

* VALUE 2056

* CODESPACE EPSG

* VERSION 8.2.6

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET full planar graph

GEOMETRIC OBJECTS

FEATURE CLASS NAME contourlines_12500

* OBJECT TYPE composite

* OBJECT COUNT 2184

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME contourlines_12500

* FEATURE TYPE Simple

* GEOMETRY TYPE Polyline

* HAS TOPOLOGY TRUE

* FEATURE COUNT 2184

* SPATIAL INDEX TRUE
 * LINEAR REFERENCING FALSE

* XY RANK 1
 * Z RANK 1
 * TOPOLOGY WEIGHT 1.000000
 * EVENTS ON VALIDATION FALSE
 PARTICIPATES IN TOPOLOGY RULES 1, 2, 3, 4, 5, 6

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Lineage ►

LINEAGE STATEMENT

Dokumentation der Erzeugung:
http://www.parcs.ch/wpz/mmd_fullentry.php?docu_id=32951

[Hide Lineage ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME
 DATE 2016-05-04 12:40:48
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\MultipartToSinglepart
 COMMAND ISSUED
 MultipartToSinglepart D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-04 12:41:07
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\FeatureToLine
 COMMAND ISSUED
 FeatureToLine D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp_pl "0.001 Meters"
 ATTRIBUTES
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-09 15:35:59
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\AddField
 COMMAND ISSUED
 AddField D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp_pl TouBou TEXT # # 10 # NULLABLE NON_REQUIRED #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-09 15:36:06
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField contour_cell2_eq5_sil_sp_pl_tb TouBou ja VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-09 15:36:08
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField contour_cell2_eq5_sil_sp_pl_ci TouBou nein VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-10 17:14:51
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Dissolve
 COMMAND ISSUED
 Dissolve D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp_pl D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp_pl_di Contour #

SINGLE_PART DISSOLVE_LINES
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-10 17:14:58
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures
COMMAND ISSUED
CopyFeatures contour_cell2_eq5_sil_sp_pl_di_2_f1
D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp_pl_di_2 # 0 0 0
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-10 17:15:08
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Dissolve
COMMAND ISSUED
Dissolve D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp_pl_di_2
D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp_pl_di_2_di Contour #
SINGLE_PART DISSOLVE_LINES
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-10 17:15:12
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures
COMMAND ISSUED
CopyFeatures contour_cell2_eq5_sil_sp_pl_di_2_di_4_f1
D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp_pl_di_2_di_4 # 0 0 0
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-10 17:15:20
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Dissolve
COMMAND ISSUED
Dissolve D:\daten\bearb_home\contourlinien.gdb\contour_lv95
\contour_cell2_eq5_sil_sp_pl_di_2_di_4 D:\daten\bearb_home\contourlinien.gdb\contour_lv95
\contour_cell2_eq5_sil_sp_pl_di_2_di_4_di Contour # SINGLE_PART DISSOLVE_LINES
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-10 17:15:23
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures
COMMAND ISSUED
CopyFeatures contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_f1
D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10 #
0 0 0
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-10 17:15:30
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Dissolve
COMMAND ISSUED
Dissolve D:\daten\bearb_home\contourlinien.gdb\contour_lv95
\contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10 D:\daten\bearb_home\contourlinien.gdb\contour_lv95
\contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di Contour # SINGLE_PART DISSOLVE_LINES
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-10 17:15:32
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures
COMMAND ISSUED
CopyFeatures contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_f1
D:\daten\bearb_home\contourlinien.gdb\contour_lv95
\contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20 # 0 0 0
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-10 17:15:39
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Dissolve
COMMAND ISSUED
Dissolve D:\daten\bearb_home\contourlinien.gdb\contour_lv95
\contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20
D:\daten\bearb_home\contourlinien.gdb\contour_lv95

```
\contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Contour # SINGLE_PART DISSOLVE_LINES  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-11 14:38:53  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di BouTou "ja" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-11 14:39:14  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di BouTou "nein" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-11 14:40:04  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Hills 0 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-11 14:40:13  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Sinks 0 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-11 14:45:54  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Hills 2 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-11 14:46:24  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Hills 5 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-11 14:47:15  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Hills 10 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-11 14:53:47  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Hills 15 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-11 14:54:11  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Hills 23 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-11 14:55:21
```

```
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Sinks -2 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-11 14:56:33
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Sinks -5 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-11 14:57:02
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Sinks -10 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-11 14:57:34
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Sinks -35 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-11 15:00:16
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Hills 5 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-11 15:01:43
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Hills 10 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-11 15:02:12
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Hills 15 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-11 15:02:35
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Hills 23 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-11 15:11:21
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di KeCo1 "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-11 17:09:48
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Filterung "löschen" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
```

```
PROCESS NAME
DATE 2016-05-11 17:10:17
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Filterung "behalten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-13 10:30:27
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Filterung "behalten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-13 10:33:38
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Filterung "behalten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-13 10:34:58
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Filterung "behalten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-13 10:36:16
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Filterung "behalten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-13 16:33:29
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di GewInt "nein" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-13 16:34:19
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di GewInt "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-13 16:50:42
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di SiedInt "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-13 16:50:53
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di SiedInt "nein" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-13 16:51:03
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di SiedCoIn "nein" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```


PROCESS

PROCESS NAME
DATE 2016-05-13 16:51:57
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di SiedInt "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-13 16:52:43
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di SiedCoIn "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-13 16:55:24
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di K120 "nein" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-13 16:55:30
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Gr100 "nein" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-13 16:55:54
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Gr100 "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-13 16:56:18
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di K120 "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-13 16:56:42
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di K130 "ja" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-13 16:56:53
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di K130 "nein" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-18 13:46:25
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE1 "löschen" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-18 13:47:19
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

```
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE1 "behalten" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-18 13:48:23  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE1 "Filterung in Stufe  
2" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-18 13:49:45  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Kriterium "Länge ist >= 100  
oder Linie berührt den Rand" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-18 13:51:02  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Kriterium "Länge ist < 30m  
und Linie berührt den Rand nicht und ist flach oder Hügel unter 5m" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-18 14:13:16  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 "löschen" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-18 14:13:49  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Kriterium "Länge < 100m sind  
und sich im Siedlungsbereich befinden und nicht von Gewässern geschnitten werden" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-18 14:18:37  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Kriterium "Länge < 100m sind  
und sich im Siedlungsbereich befinden und von Gewässern geschnitten werden, nach Kontrolle von  
Hand gelöscht" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-18 16:16:45  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 "löschen" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-18 16:54:04  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Kriterium "Linien ausserhalb  
von Siedlungen zwischen 30 und 100m, die von Gewässern geschnitten werden" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2016-05-18 16:54:16  
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
```

```
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 "behalten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-18 16:58:21
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 "löschen" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-18 16:58:51
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Kriterium "Linien ausserhalb
von Siedlungen, zwischen 30 und 100m, die im flachen bereich sind (Hills = '0')" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-18 17:11:15
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE1 "löschen" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-18 17:11:27
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 NULL VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-18 17:11:56
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Kriterium "Länge ist < 30m
und Linie berührt den Rand nicht" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-18 17:25:14
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 "behalten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-18 17:26:21
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Kriterium "Linien ausserhalb
von Siedlungen, zwischen 30 und 100m, die Kuppen darstellen (Hills >= '5')" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-18 17:32:00
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Kriterium "Linien ausserhalb
von Siedlungen, zwischen 30 und 50m, die kleine Kuppen darstellen (Hills = '2')" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-18 17:32:10
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 "löschen" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-18 17:37:26

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 "behalten" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-18 17:37:52

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 "löschen" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-18 17:45:06

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 NULL VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-18 17:46:00

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di Kriterium "Linien ausserhalb von Siedlungen, die kleine Kuppen darstellen (Hills = '2')" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-18 17:46:10

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 "löschen" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-18 17:51:55

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE3 [STUFE2] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-18 17:52:22

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField contour_cell2_eq5_sil_sp_pl_di_2_di_4_di_10_di_20_di STUFE2 "löschen" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-19 15:35:11

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "ja, wegen Wald-Artefakten" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-19 15:37:26

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "ja, wegen Wald-Artefakten" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-19 15:39:43

```
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "ja, wegen Wald-Artefakten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2016-05-19 15:43:11
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "ja, wegen Wald-Artefakten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2016-05-19 15:48:58
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "ja, wegen Wald-Artefakten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2016-05-19 16:09:30
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2016-05-19 16:10:56
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2016-05-19 16:12:50
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2016-05-19 16:14:24
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2016-05-19 16:15:54
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2016-05-19 16:17:19
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2016-05-19 16:18:22
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2016-05-19 16:20:47
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-19 16:24:04
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-19 16:26:03
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-19 16:40:05
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-19 16:45:34
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-20 11:24:02
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_be_ex_kr GEOMKORR "korr" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-20 11:37:09
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_be_ex_kr GEOMKORR NULL VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-20 11:37:38
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_be_ex_kr GEOMKORR NULL VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-20 11:38:06
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_be_ex_kr GEOMKORR "korrigiert wegen Wald-Artefakten" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-20 11:38:40
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
  CalculateField contour_cell12_eq5_be_ex_kr GEOMKORR "Linie original" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

PROCESS NAME
DATE 2016-05-20 11:41:28
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Dissolve
COMMAND ISSUED
Dissolve D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_be_ex_kr
D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_be_ex_kr_di Contour #
SINGLE_PART DISSOLVE_LINES
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-23 09:56:04
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Cartography Tools.tbx\SmoothLine
COMMAND ISSUED
SmoothLine D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_be_ex_kr_di
D:\daten\bearb_home\contourlinien.gdb\contour_lv95\contour_cell2_eq5_be_ex_kr_di_sm15 PAEK "15
Unknown" FIXED_CLOSED_ENDPOINT NO_CHECK
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-24 10:37:48
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr_di_sm15 temp pp "[Contour] -400" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-24 10:38:49
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr_di_sm15 temp pp "[temp pp] -100" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-24 10:39:05
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr_di_sm15 temp pp "[temp pp] -100" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-24 10:39:14
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr_di_sm15 temp pp "[temp pp] -100" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-24 10:39:22
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr_di_sm15 temp pp "[temp pp] -100" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-24 10:39:29
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr_di_sm15 temp pp "[temp pp] -100" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-05-24 10:41:23
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField contour_cell2_eq5_be_ex_kr_di_sm15 Typ [temp pp] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-24 10:41:50
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField contour_cell12_eq5_be_ex_kr_di_sm15 Typ 100 VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-24 10:47:38
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField contour_cell12_eq5_be_ex_kr_di_sm15 temp " [Typ] /5" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-24 10:48:13
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField contour_cell12_eq5_be_ex_kr_di_sm15 Darstell "100er" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-24 10:48:51
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField contour_cell12_eq5_be_ex_kr_di_sm15 Darstell "50er" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-24 10:49:55
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField contour_cell12_eq5_be_ex_kr_di_sm15 Darstell "10er" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-24 10:50:44
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField contour_cell12_eq5_be_ex_kr_di_sm15 Darstell "20er" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2016-05-24 10:51:32
 TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField contour_cell12_eq5_be_ex_kr_di_sm15 Darstell "5er" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

Hide Geoprocessing history ▲

Distribution ►

DISTRIBUTION FORMAT

* NAME File Geodatabase Feature Class

Hide Distribution ▲

Fields ►

DETAILS FOR OBJECT contourlines_12500 ►

* TYPE Feature Class
 * ROW COUNT 2184

FIELD OBJECTID ►

* ALIAS OBJECTID
 * DATA TYPE OID
 * WIDTH 4
 * PRECISION 0
 * SCALE 0

- * FIELD DESCRIPTION
Internal feature number.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD Shape ▶

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Coordinates defining the features.

Hide Field Shape ▲

FIELD Contour ▶

- * ALIAS Contour
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0
- FIELD DESCRIPTION
Höhenangabe in Metern

Hide Field Contour ▲

FIELD Darstell ▶

- * ALIAS Darstell
- * DATA TYPE String
- * WIDTH 20
- * PRECISION 0
- * SCALE 0
- FIELD DESCRIPTION
Klassifikation nach 5er, 10er, 20er, 50er und 100er Höhenlinien für die Darstellung

Hide Field Darstell ▲

FIELD Typ ▶

- * ALIAS Typ
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 0
- * SCALE 0
- FIELD DESCRIPTION
Typisierung nach 5er, 10er, 15er, ...95er, 100er Linien

Hide Field Typ ▲

FIELD Shape_Length ▶

- * ALIAS Shape_Length
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Length of feature in internal units.

*** DESCRIPTION SOURCE**

Esri

*** DESCRIPTION OF VALUES**

Positive real numbers that are automatically generated.

[Hide Field Shape_Length ▲](#)[Hide Details for object contourlines_12500 ▲](#)[Hide Fields ▲](#)**Metadata Details ►**

METADATA LANGUAGE German (SWITZERLAND)

METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset

SCOPE NAME * dataset

* LAST UPDATE 2016-05-24

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE ISO 19139 Metadata Implementation Specification GML3.2

STANDARD OR PROFILE USED TO EDIT METADATA ISO19139

CREATED IN ARCGIS FOR THE ITEM 2016-05-24 11:16:43

LAST MODIFIED IN ARCGIS FOR THE ITEM 2016-05-24 16:53:29

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2016-05-24 15:54:01

[Hide Metadata Details ▲](#)**Metadata Contacts ►**

METADATA CONTACT

INDIVIDUAL'S NAME Ronald Schmidt

ORGANIZATION'S NAME Wildnisaprk Zürich

CONTACT'S ROLE author

CONTACT INFORMATION ►

ADDRESS

TYPE both

DELIVERY POINT Alte Sihltalstrasse 38

CITY Sihlwald

POSTAL CODE 8135

COUNTRY CH

E-MAIL ADDRESS gis@wildnispark.ch

[Hide Contact information ▲](#)[Hide Metadata Contacts ▲](#)**Metadata Maintenance ►**

MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Metadata Maintenance ▲](#)**Thumbnail and Enclosures ►**

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼